



**Experience Starcraft.
Like never before.**

Aluminum, Fiberglass, and Pontoon Boats

Aluminum Boats




Pro-Elite	5-6
Islander & Expedition	7-8
Superfisherman	9-10
Fishmaster	11-12
SuperSport & Starfire LE	13-14
Starfire	15-16
Starcaster	17-18
Utilities & Jon Boats	19-20
Standard Features & Options	21-24

Fiberglass Boats



Nexstar LXS Series	25-26
Nexstar RXI Series	27-28
1800 Series	29-30
Aurora	31-32
Standard Features & Options	33-34

Pontoon Boats



Orion	35-36
Saturn	37-38
Cruise	39-40
Starfish	41-42
Standard Features & Options	43-44
Construction	3-4
Starcraft Accessories	45-46

Where history and innovation share the water.

- Leading manufacturer in the boat industry since 1903.
- Complete new line of fishing boats for 2002.
- One-piece bottom on all aluminum boats, not multiple pieces joined together.
- Family-owned business that treats its customers like family.
- Power-Trac Hull™ offers innovative design technology for aluminum boat construction.
- Integrated Torsion Beam Construction (TBC) used in aluminum boats.

Before you go out there, you'd better know where you came from.

For Starcraft, building boats is about more than just being revolutionary, earning distinctions and catching good reviews. It's also about snagging the hearts of generations of boaters. It's about becoming a part of some family's heritage. If you tool around a lake and mention the name Starcraft, you're likely to hear someone recall the trusty utility their grandfather fished out of 50 years ago. Or the old 19' outboard dad would trailer up to the lake on weekends. It seems Starcraft has been woven into the American legacy of water and families for generations.

But the past is past. The true measure of a boat builder is its vision for the future. What it will put on the water tomorrow. Unique hulls. Revolutionary technology. Essential ergonomics. At Starcraft Marine, we're always looking ahead, continuing to research better ways to design, develop and manufacture the quickest, driest, most convenient boats. That's what we're already working on for next year, and the year after that. It's our mission. So strap on your life vest. Hang on. And enjoy the ride on an industry leader.

- Radiant heat-cured paint process for long-lasting finish.

- New space-age helm consoles.

- Injected foam flotation seals air pockets better than poured or block foam.

- Multiple design innovations provide the driest ride in the industry.

- Lifetime warranty on all riveted seams.

- Certified by NMMA (National Marine Manufacturer's Association) and the U.S. Coast Guard.





Power-Trac Hull™

Our shock-absorbing Power-Trac Hull™ combines longitudinal, machine-formed ribs with Starcraft's exclusive Torsion Beam Construction (TBC) stringer system that flexes with the waves instead of against them, providing greater strength and a smoother ride.

Nearly a century ago, Starcraft became the first manufacturer to build boats out of metal, and we have yet to see anyone do it better. Our sturdy aluminum hulls provide exceptional strength, stability, and safety — even in the roughest waters.

1

4

2

3

5

6

NMMA Certified



Aluminum Construction

1. Starcraft uses only 5052 H34 marine grade aluminum for the greatest tensile strength and corrosion resistance.
2. Foam is injected, not poured, between the floor and hull — filling all air pockets and providing greater strength and reduced noise.
3. Full-length reverse chine pushes water down and away, for quicker planing and improved cornering.
4. Instead of flat I-beams, we use a flexible TBC stringer system for exceptional strength and shock absorption.
5. Unique machine-formed ribs are stronger and more flexible than the heavy two-ply aluminum used by competitors.
6. Double riveted chine and transom seams provide a tighter seal and increased structural integrity.

All-Aluminum Transom

For added protection against saltwater, every Fishmaster boat features an all-welded, all-aluminum transom that's the strongest in the industry. In addition, all transoms and bow end caps are anodized to prevent rusting and discoloration.




Rise & Run Hull

Our R2 Hull features an inverted channel that lifts your boat on plane almost instantly, allowing you to blast out of the hole faster and sprint to the fish with more control.



Want a pontoon that's going to withstand years of fishing, cruising and fun on the water? Choose the only one with 99 years of applied boating technology behind it. Choose Starcraft.

NMMA Certified



Pontoon Construction

1. New flush bow decks are completely free of cleats and lights for added safety.
2. Heavy-duty, extruded Z-bar cross members provide greater strength and stability than conventional hat channels.
3. To completely seal each deck section joint, LockOut® Sealant Tape is placed on every Z-bar cross member for years of watertight protection.
4. Rotocast furniture features integrated drains that channel excess water back into the lake to help prevent mildew and water damage.
5. Lifetime warranties on tubes, deck and transom.




The passion for boating starts deep inside.



Starcraft fiberglass boats are built tough, from the inside out. It's a difference you can feel every time you take the wheel — in better handling and a smoother, quieter ride.

Fiberglass Construction

1. A one-piece fiberglass liner with radiused corners means easier cleaning.
2. High-elongated polyester gel coat provides a durable, long-lasting finish that resists fading and blistering.
3. Multi-axial "E-glass" produces a stronger yet lighter boat than traditional fiberglass construction methods.
4. We insist on 24-ounce woven roving fiberglass and a 6" overlap between the hull and deck for greater strength and a tighter fit.
5. Foam is injected, not poured, between the floor and hull — filling all air pockets and providing greater strength and reduced noise.



NMMA Certified

Pro-Elite

Some boats were just born to fish.



If you've got fishing in your blood, then the Pro-Elite was made for you. We're talking about a deep V-hull that's loaded with fishing features. Like a wide, 102" beam for extra elbow room on the Pro-Elite 2000. Deep cockpit with toe kicks for added safety. A bow command center for convenience. Deluxe pinchless fishing seats for comfort and lockable storage everywhere you look. Plus, thanks to Starcraft's exclusive Power-Trac Hull® and Torsion Beam Construction, you're getting one of the toughest boats on the water. So this year, fish like a pro — in a 2002 Starcraft Pro-Elite.



1800 DC



2000



SPECS	1800 SC	1800 DC	2000
Standard Power	90 EXLPTD SW/ST 3 kw	115 EXLPTO/H6 kw	115 EXLPTO/H6 kw
Maximum HP	175/331 kw	175/331 kw	225/685 kw
Fuel Capacity	34 gallons/204.4 L	34 gallons/204.4 L	34 gallons/204.4 L
Length	18'2" / 5.5 m	18'7" / 5.3 m	20'6" / 6.2 m
Bow	100/254 cm	100/254 cm	102/259 cm
Weight (boat only)	1330 lbs./603.3 kg	1430 lbs./648.6 kg	1661 lbs./751.4 kg
Cap. (persons/lbs.)	3/1000 lbs./7433.6 kg	3/1000 lbs./7433.6 kg	8/1200 lbs./6754.3 kg
Capacity (lbs.)	1700 lbs./771.1 kg	1700 lbs./771.1 kg	2000 lbs./907.2 kg
Inside Depth	28/76 cm	28/76 cm	28/76 cm
Transom Width	100/254 cm	100/254 cm	102/259 cm
Chine Width	84/213 cm	84/213 cm	84/213 cm
Transom Height	25/64 cm	25/64 cm	25/64 cm
Aluminum Gauge	100/254 cm	100/254 cm	100/254 cm
Pig Length	22'6" / 6.9 m	22'6" / 6.9 m	23'4" / 7.0 m
Towing Weight*	2962 lbs./1343.6 kg	3115 lbs./1411.3 kg	3320 lbs./1462.6 kg
Draft*	28/71 cm	28/71 cm	32/81 cm
Deadrise	19°	19°	19°

*With Standard Power

Pro-Elite 2002 Pro-Elite

Aerated Bow
Bait Well



High-Gloss
Helm Console



Bow Command
Center



Mesh Pocket
Door Storage



STARDRAFT

2002

Islander and Expedition
These boats are as fearless as you are.

Islander
 2002 Islander



This season, feel like going out deep where the big fish are? Then you've found the right boat — the 2002 Islander. This rugged V-hull is equipped with everything you need to take on the rough waters of Great Lakes fishing. For added safety and durability, you'll find a deep cockpit, as well as rack and pinion steering and double riveted chine and transom seams. And best of all, for serious fishing trips, there's a roomy cuddy cabin. Are you seeing visions of salmon and steelheads? The 2002 Islander can make your fishing dreams come true.

SPECS	191	221
Standard Power	3.0 L WOPS (135 hp)/101 kw	3.0 L WOPS (135 hp)/101 kw
Maximum HP	3.0 L (135 hp)/101 kw	4.3 L MPI (220 hp)/164 kw
Fuel Capacity	34 gallons/128.7 L	52 gallons/196.8 L
Length	19'7.8 in	22'6.9 in
Beam	867/44 cm	967/44 cm
Weight (boat only)	1525 lbs./691.7 kg	1850 lbs./839.2 kg
Cap. (person/lbs.)	8/1200 lbs./8554.3 kg	8/1200 lbs./8554.3 kg
Capacity (lbs.)	2000 lbs./907.2 kg	2000 lbs./907.2 kg
Inside Depth	307/6 cm	307/6 cm
Transom Width	907/29 cm	907/29 cm
Chine Width	817/26 cm	817/26 cm
Transom Height	N/A	N/A
Aluminum Gauge	1007/24 cm	1007/24 cm
Flag Length	237/7.2 m	288/5 m
Towing Weight*	3325 lbs./1508.2 kg	3760 lbs./1705.3 kg
Draft*	307/91 cm	347/86 cm
Deadrise	18°	18°

*With Standard Power



Interior Cabin with Cushions



Helm Console



Integrated Tackle Storage



Upright Rod Holders



Expedition

2002 Expedition

If you're headed for some serious offshore or deep water fishing, we just have one thing to say: Lucky you. And we'd also encourage you to check out this year's 2280 Expedition. This fiberglass center console V-hull is perfect for the awe-inspiring conditions you're likely to encounter. It's armed with our solid composite stringer system, 3/8" Plexiglas® windscreens, and stainless steel toe rails and foot rests. Plus, it's completely self-bailing, right down to the cup holders. The 2002 Expedition. Perfect for those who aren't afraid to put some serious distance between the boat and the boat launch.

SPECS 2280

Standard Power	225 YXL FFI SW/168 hp
Maximum HP	300/224 kw
Fuel Capacity	117 gallons/442.9 liter
Length	23'37.1 in
Beam	10'7/194 cm
Weight (boat only)	2900 lbs/1313.4 kg
Cap. (persons/lbs.)	7/1000 lbs./7/453.6 kg
Capacity (lbs.)	1050 lbs./492.9 kg
Inside Depth	29/74 cm
Transom Width	94/238 cm
Chine Width	85/216 cm
Transom Height	30/76 cm
Aluminum Gauge	N/A
Pig. Length	29'779.0 in
Towing Weight*	6050 lbs./2744.1 kg
Draft*	34/86 cm
Deadrise	21°

* With Standard Power



148 Quart Bow Fish Box

Aerated Baitwell
w/Bait Lifter System

Fiberglass Helm Console

Stainless Steel
Cockpit Toe Rails





Superfisherman
If you're going for trophies,
go with a winner.



Superfisherman

2002 Superfisherman

Whether you're into tournament fishing, or just out to whip your brother-in-law, you'll love the strength and performance of the 2002 Superfisherman. Our exclusive Power-Trac Hull® and full-length reverse chine combine to get you on plane fast, with superb handling. For convenience, you'll find a deluxe bow command center and bow combing pads, and the 196 model boasts the most storage in its class. And the best part? Once you've settled who's the best angler, you can pile in the kids and spend the rest of the day just having fun.

SPECS	176 T	176 SC	176 DC	196 DC
Standard Power	40 ELPTO/29.8 kw	30 ELPTO/27.3 kw	30 ELPTO/27.3 kw	75 ELPTO Classic/56 kw
Maximum HP	7500 kw	150/112 kw	150/112 kw	175/131 kw
Fuel Capacity	32 gallons/121.1 L	32 gallons/121.1 L	32 gallons/121.1 L	34 gallons/134.4 L
Length	17' 8 3/4 in	17' 8 3/4 in	17' 8 3/4 in	19' 4 7/8 in
Beam	937/236 cm	937/236 cm	937/236 cm	997/253 cm
Weight (boat only)	1013 lbs./460.4 kg	1105 lbs./501.2 kg	1175 lbs./533 kg	1430 lbs./648.6 kg
Cap. (persons/lbs.)	3/1000 lbs./7453.6 kg	3/1000 lbs./7453.6 kg	3/1000 lbs./7453.6 kg	3/1250 lbs./5667 kg
Capacity (lbs.)	1700 lbs./771.1 kg	1700 lbs./771.1 kg	1700 lbs./771.1 kg	3000 lbs./1360.9 kg
Inside Depth	27' 6 9/16 in			
Transom Width	867/218 cm	867/218 cm	867/218 cm	997/253 cm
Chine Width	737/185 cm	737/185 cm	737/185 cm	947/233 cm
Transom Height	207/51 cm	207/51 cm	207/51 cm	207/51 cm
Aluminum Garage	0907.229 cm	0907.229 cm	0907.229 cm	0907.229 cm
Pig. Length	21' 6 7/8 in	21' 8 7/8 in	21' 8 7/8 in	23' 3 7/8 in
Towing Weight*	2215 lbs./1004.7 kg	2295 lbs./1041 kg	2365 lbs./1072.8 kg	3062 lbs./1388.9 kg
Draft*	247/61 cm	267/66 cm	267/66 cm	267/71 cm
Deadrise	17°	17°	17°	19°

*With Standard Power



Helm Console



31 Gallon Bow Livewell



Lockable Rod Storage



Full Length Cockpit Toe Kicks



Fishmaster

Go confidently in the direction
of the biggest fish.





196 DC



1961

Fishmaster

2002 Fishmaster

Wherever they're lurking — in big water or small, the Fishmaster is just the boat to lead the way. The Fishmaster features advanced wood-free construction, with an all-aluminum floor and transom and composite bow deck, together with our TBC integrated aluminum stringer system and machine-formed aluminum ribs. Inside the boat, its high-gloss dash, bow command center and deluxe pinchless fishing seats make this the versatile choice for chasing the big ones in virtually any water. So go out as far as you choose. Just be sure to go in a Fishmaster.

SPECS	176 DC	196 DC	1961
Standard Power	75 ELPTO/36 kw	115 EXLPTO/36 kw	3.0 L WOPS (135 hp)/101 kw
Maximum HP	150/112 kw	175/131 kw	4.3 L (220 hp)/164 kw
Fuel Capacity	32 gallons/121.1 L	54 gallons/204.4 L	54 gallons/204.4 L
Length	17'8"5.4 m	19'9"6.0 m	19'9"6.0 m
Bow	91/236 cm	100/254 cm	100/254 cm
Weight (boat only)	1175 lbs./533 kg	1450 lbs./660.6 kg	1450 lbs./660.6 kg
Cap. (persons/lbs.)	10/1000 lbs./453.6 kg	9/1250 lbs./567 kg	9/1250 lbs./567 kg
Capacity (lbs.)	1700 lbs./771.1 kg	2050 lbs./929.9 kg	1700 lbs./771.1 kg
Inside Depth	27'6"9 cm	31'7"9 cm	31'7"9 cm
Transom Width	86/218 cm	99/252 cm	99/252 cm
Clew Width	23'7"85 cm	28'7"213 cm	28'7"213 cm
Transom Height	30'7"3 cm	25'6"4 cm	N/A
Aluminum Gauge	.090/.229 cm	.090/.229 cm	.090/.229 cm
Pig. Length	21'6"8.6 m	23'5"7.2 m	23'5"7.2 m
Towing Weight*	2388 lbs./1083.2 kg	3145 lbs./1426.6 kg	3332 lbs./1511.4 kg
Draft*	26'7"1 cm	28'7"1 cm	31'8"4 cm
Deadrise	17°	19°	19°

* With Standard Power



Integrated Cockpit Baitwell



Helm Console



41 Gallon Bow Livewell



Open Cockpit Rod Storage



SuperSport

2002 SuperSport



POWER TRAC HULL

160

SPECS	160
Standard Power	25 EL Classic/18.7 kw
Max HP	75/50 kw
Fuel Capacity	16 gallons/6 L
Length	16'11.9"
Beam	89/216 cm
Weight (boat only)	813 lbs./367.2 kg
Cap. (person/lbs.)	6825 lbs./3074.2 kg
Capacity (lbs.)	1350 lbs./612.4 kg
Inside Depth	23/58 cm.
Torsion Width	80/205 cm
Clew Width	64/163 cm
Transom Height	20/51 cm
Aluminum Gauge	080/203 cm
Pig. Length	20'8/6.3 m
Towing Weight*	1663 lbs./754.1 kg
Draft*	19/48 cm
Deadrise	12°

* With Standard Power

SuperSport All-aluminum. And all about fun.



Meet the 2002 SuperSport. Where serious aluminum construction meets the family-friendly design of a runabout.

The SuperSport features the same exclusive Power-Trac Hull® and Torsion Beam Construction of our rugged fishing boats, but it's got all the good-time comforts, like bow bolster pads, bow cushions and fold-down seats for easy sunning. It's also lighter weight than fiberglass runabouts and requires less towing

capacity from your vehicle. So come on. Let's make some waves. This boat knows how to play.



Starfire LE

We've taken care of the details.



170 LE



190 LE





Starfire LE 2002 Starfire LE

Whether you're fishing alone or out with the whole family, you're looking for a boat that can do it all. And that's the Starfire LE. This well-organized V-hull combines our Power-Trac Hull® and full-length reverse chine with all the amenities you need for a great day of fishing. Like deluxe, pinchless seats. Built-in tackle storage. Bow and aft livewells. And plenty of lockable storage space. Bottom line? The Starfire LE has thought of everything. All you have to do is catch some fish.

SPECS	170 LE	190 LE
Standard Power	40 ELPTO/44.8 kw	75 ELPTO/75.6 kw
Maximum HP	125/95 kw	150/112 kw
Fuel Capacity	23 gallons/87.1 L	32 gallons/121.1 L
Length	16'11" / 5.0 m	18'9" / 5.7 m
Bow	85/728 cm	89/726 cm
Weight (boat only)	1050 lbs./476.3 kg	1183 lbs./536.6 kg
Cap. (person/cell)	6/900 lbs./2,722.1 kg	8/1115 lbs./3,814.8 kg
Capacity (lbs.)	1500 lbs./680.4 kg	1800 lbs./816.3 kg
Inside Depth	27.88" cm	29.74" cm
Bowson Width	78.738" cm	82.728" cm
Chine Width	69.723" cm	73.785" cm
Bowson Height	20.751" cm	20.754" cm
Aluminum Gauge	0807.203" cm	0907.229" cm
Pig. Length	20'6" / 6.1 m	22'6" / 6.9 m
Sailing Weight*	2112 lbs./956 kg	2495 lbs./1131.2 kg
Draft*	22.756" cm	24.756" cm
Deadrise	15°	15°

Bow Storage
and 21 Gallon
Bow Livewell



Integrated
Tackle Storage



Open Cockpit
Storage



Lockable
Rod Storage



*With Standard Power





160 T



160 DC



160 SC



170 DC

Shown with optional up.

Starfire 2002 Starfire

Go with a Starcraft, and you'll always get the best value on the water. Why? Because all our boats have the same high standards of construction. Take the Starfire. This affordable V-hull features the same exclusive Power-Trac Hull™, full-length reverse chine and Torsion Beam Construction as our top-of-the-line fishing boats. Also, it has the same lifetime warranty on the double riveted seams. Same machine-formed ribs. And the same painted, heat-cured two-tone finish. Add to that some pretty amazing amenities, and you've got a great all-around family fishing boat. The 2002 Starfire. You couldn't ask for a better deal.

SPECS	160 T	160 SC	160 DC	170 DC
Standard Power	25 ELH Classic/18.7 kw	25 EL Classic/18.7 kw	25 EL Classic/18.7 kw	30 ELPIO/17.3 kw
Maximum HP	60/44.8 kw	75/56 kw	75/56 kw	125/95 kw
Fuel Capacity	16 gallons/60.6 L	16 gallons/60.6 L	16 gallons/60.6 L	23 gallons/87.1 L
Length	16'114.9 in	16'114.9 in	16'114.9 in	16'1175.2 in
Beam	827/208 cm	827/208 cm	827/208 cm	907/229 cm
Weight (boat only)	113 lbs/51.4 kg	150 lbs/68.2 kg	183 lbs/83.1 kg	190 lbs/86.3 kg
Cap. (persons/lbs.)	68/25 lbs./6/374.2 kg	68/25 lbs./6/374.2 kg	68/25 lbs./6/374.2 kg	69/30 lbs./6/408.2 kg
Capacity (lbs.)	1330 lbs./612.4 kg	1350 lbs./612.4 kg	1350 lbs./612.4 kg	1500 lbs./680.4 kg
Inside Depth	237/58 cm	237/58 cm	237/58 cm	277/68 cm
Torsion Width	797/201 cm	797/201 cm	797/201 cm	817/211 cm
Chine Width	647/163 cm	647/163 cm	647/163 cm	697/175 cm
Torsion Height	207/51 cm	207/51 cm	207/51 cm	207/51 cm
Aluminum Gauge	.0807/203 cm	.0807/203 cm	.0807/203 cm	.0807/203 cm
Pig. Length	206/61.3 in	206/61.3 in	206/61.3 in	206/61.3 in
Towing Weight*	1364 lbs./616.4 kg	1998 lbs./724.9 kg	1635 lbs./741.6 kg	2010 lbs./911.2 kg
Draft†	197/88 cm	197/89 cm	197/89 cm	227/56 cm
Deadrise	12°	12°	12°	13°


* With Standard Power

Lockable
Glove Box

Helm Console

31 Gallon
Bow LivewellLockable Top
Loading Rod
Storage


Starfire
More boat for your buck.



Starcaster

Ready for some head-snapping hole shots?

Because in a 2002 Starcaster, you'll be on plane in an instant. This highly-advanced, all-welded bass boat features our exclusive Rise & Run modified V-hull — for superior performance, exceptional cornering and a drier ride. And inside the boat, you'll find everything you need to find the fish, catch them and get them home safely. So you can keep on debating largemouth vs. smallmouth all you want. You'll get more of both in a Starcaster.





1754



1860



1900

Starcaster 2002 Starcaster



Aerodynamic Helm Console




21 Gallon Stern Livewell

Lockable,
Top-Loading
Rod StorageUnderseat
Storage

SPECS	1754	1860	1900
Standard Power	25 ELPTO/18.7 kw	30 ELPTO/37.3 kw	35 ELPTO/56 kw
Maximum HP	90/67 kw	125/93 kw	135/101 kw
Fuel Capacity	18 gallons/69.1 L	23 gallons/87.1 L	23 gallons/87.1 L
Length	17'11.5" m	18'5"15.6" m	19'2"15.8" m
Beam	77.3"19.7 cm	79"20.1 cm	80"20.3 cm
Weight (boat only)	880 lbs./403.7 kg	1150 lbs./521.6 kg	1175 lbs./533 kg
Cap. (persons/lbs.)	4/900 lbs./4/226.8 kg	4/1000 lbs./4/272.2 kg	4/900 lbs./4/272.2 kg
Capacity (lbs.)	1090 lbs./496.3 kg	1240 lbs./561.3 kg	1250 lbs./567 kg
Inside Depth	197.8 cm	207.1 cm	227.6 cm
Transom Width	77.5"19.7 cm	79"20.1 cm	80"20.3 cm
Chine Width	34.9"37 cm	60"73.2 cm	67"71.0 cm
Transom Height	20.71 cm	20.71 cm	20.71 cm
Aleutian Gauge	.090/.229 cm	.097/.244 cm	.107/.254 cm
Pkg. Length	21'2"6.5" m	22'6"7.2" m	22'6"6.9" m
Towing Weight*	1575 lbs./714.4 kg	2130 lbs./966.2 kg	2380 lbs./1079.6 kg
Deadrise	16.91 cm	16.91 cm	17.93 cm
Deadrise	7°	9°	9°

* With Standard Power





SL 12

SL 14

SF 14 LSS

SS 14 LWL

There's beauty in simplicity.

Utilities and Jon Boats

2002 Utilities and Jons


And let's face it, over the years a whole lot of fish have been caught in a simple utility boat. Our line-up features both welded and riveted models with reinforced hulls and transoms for added durability, as well as the same heat-cured paint process as our other aluminum boats. The way we see it, with a beautiful sunrise, quiet water and a trusted boat, you've got all the ingredients for a great day of fishing.

Welded Bass/Utilities

SPECS	SF 14 T DLX
Standard Power	25 ELH/18.7 kw
Maximum HP	30/22.5 kw
Fuel Capacity	N/A
Length	14'374.3 m
Bear	67'710 cm
Weight (boat only)	460 lbs./208.7 kg
Cap. (persons/lbs.)	34/35 lbs./5297.1 kg
Capacity (lbs.)	1020 lbs./462.7 kg
Inside Depth	20'71 cm
Transom Width	66'7168 cm
Chine Width	53'7135 cm
Transom Height	20'71 cm
Aluminum Gauge	0.065/1.165 cm
Pig. Length	19'475.9 m
Towing Weight*	1070 lbs./485.4 kg
Draft*	19'748 cm
Deadrise	8°

Utilities	SL 12	SL 14	SF 14 L SS	SF 14 LWL	SF 14 S	SF 16 L	SF 16 Camp
Standard Power	N/A	N/A	N/A	25 ELH/18.7 kw	N/A	N/A	25 ELH/18.7 kw
Maximum HP	107.5 kw	13'11.2 kw	30/22.5 kw	30/22.5 kw	49/29.8 kw	49/29.8 kw	49/29.8 kw
Fuel Capacity	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Length	11'773.33 m	13'874.3 m	14'374.3 m	14'374.3 m	16'274.9 m	16'475.0 m	16'475.0 m
Bear	58'7147 cm	59'7130 cm	67'7170 cm	67'7170 cm	67'7170 cm	74'7188 cm	74'7188 cm
Weight (boat only)	124 lbs./56.3 kg	142 lbs./64.4 kg	225 lbs./102.1 kg	370 lbs./167.8 kg	225 lbs./102.1 kg	253 lbs./113.7 kg	320 lbs./139.9 kg
Cap. (persons/lbs.)	34/35 lbs./5192.8 kg	45/52 lbs./4238.1 kg	56/55 lbs./5297.1 kg	56/55 lbs./5297.1 kg	4/55 lbs./4/231.8 kg	6/800 lbs./6/353.4 kg	6/815 lbs./6/369.7 kg
Capacity (lbs.)	600 lbs./272.2 kg	700 lbs./317.5 kg	1020 lbs./462.7 kg	995 lbs./451.3 kg	920 lbs./417.3 kg	1220 lbs./553.4 kg	1288 lbs./544.3 kg
Inside Depth	23'753 cm	23'753 cm	29'774 cm	20'751 cm	29'774 cm	29'774 cm	20'751 cm
Transom Width	53'7140 cm	55'7140 cm	66'7168 cm	66'7168 cm	66'7168 cm	66'7168 cm	66'7168 cm
Chine Width	48'7122 cm	48'7122 cm	53'7135 cm	53'7135 cm	53'7135 cm	53'7135 cm	53'7135 cm
Transom Height	15'738 cm	15'738 cm	20'751 cm	20'751 cm	15'738 cm	20'751 cm	20'751 cm
Aluminum Gauge	0.051/1.130 cm	0.051/1.130 cm	0.065/1.165 cm	0.065/1.165 cm	0.065/1.165 cm	0.065/1.165 cm	0.065/1.165 cm
Pig. Length	N/A	N/A	N/A	19'475.9 m	N/A	N/A	20'806.2 m
Towing Weight*	N/A	N/A	N/A	980 lbs./444.5 kg	N/A	N/A	1213 lbs./551.1 kg
Deadrise	7°	7°	8°	8°	8°	8°	13°

*With Standard Power



1032

1232

1436/1436 LW

1444 MVX

1448/1448 LW



SF 14 S

SF 16 L

SF 16 Camp

SF 14 T DLX

SF 14 SC DLX



Patriot 1754



Patriot 1654



Patriot 140

Patriot 160
SC DLX

SF 14 SC DLX	Patriot 1654	Patriot 1754	Patriot 140	Patriot 160	Patriot 160 SC DLX
25 EL/18.7 kw					
30/22.5 kw	40/29.8 kw				
N/A	N/A	N/A	N/A	N/A	N/A
14' 3" / 4.3 m	16' 2" / 4.9 m	17' 6" / 5.3 m	14' 4" / 4.4 m	16' 4" / 5.0 m	16' 4" / 5.0 m
87/110 cm	99/101 cm	99/101 cm	79/101 cm	79/101 cm	79/101 cm
510 lbs./231.3 kg	422 lbs./191.4 kg	515 lbs./233.6 kg	380 lbs./172.4 kg	412 lbs./186.4 kg	615 lbs./270.1 kg
5855 lbs./2670.1 kg	5725 lbs./2578.9 kg	6003 lbs./2708.8 kg	5610 lbs./2576.7 kg	6050 lbs./2703.6 kg	6950 lbs./3030.6 kg
1020 lbs./462.7 kg	1100 lbs./499 kg	1200 lbs./544.3 kg	975 lbs./442.3 kg	1215 lbs./551.3 kg	1233 lbs./551.1 kg
20751 cm					
66/168 cm	79/101 cm	79/101 cm	70/178 cm	70/178 cm	70/178 cm
33/135 cm	34/137 cm	34/137 cm	60/152 cm	60/152 cm	60/152 cm
20751 cm					
0.0857/16.5 cm	0.0807/12.9 cm	0.0807/12.9 cm	0.0807/20.3 cm	0.0807/20.3 cm	0.0807/20.3 cm
10' 9" / 3.3 m	11' 2" / 3.4 m	11' 2" / 3.4 m	11' 8" / 3.6 m	12' 8" / 3.8 m	12' 8" / 3.8 m
1130 lbs./509 kg	1097 lbs./497.6 kg	1190 lbs./536.8 kg	950 lbs./430.9 kg	1085 lbs./492.2 kg	1335 lbs./602.5 kg
19748 cm	16741 cm	16741 cm	19348 cm	19348 cm	19348 cm
7"	7"	7"	12"	12"	12"

* With Standard Power

Jon Boats	1032	1232	1436/1436 LW	1444 MVX	1448/1448 LW	1644 MVX	1648/1648 LW	1750 MVX	1860 MVL
Maximum HP	3/2 kw	6/8 kw	20/19 kw	23/19 kw	23/19 kw	35/26 kw	35/26 kw	45/34 kw	65/49 kw
Length	10' 7" / 3.2 m	12' 0" m	14' 9" / 4.5 m	14' 9" / 4.5 m	14' 9" / 4.5 m	16' 4" / 4.9 m	16' 4" / 4.9 m	17' 9" / 5.4 m	18' 5" / 5.5 m
Beam	5' 7" / 1.7 m	5' 7" / 1.7 m	5' 7" / 1.7 m	6' 7" / 2.0 m	7' 2" / 2.1 m	6' 7" / 2.0 m	7' 2" / 2.1 m	7' 4" / 2.2 m	8' 7" / 2.6 m
Weight (boat only)	100 lbs./45 kg	130 lbs./59 kg	185 lbs./84 kg	263 lbs./119 kg	260 lbs./118 kg	300 lbs./134 kg	285 lbs./124 kg	365 lbs./166 kg	510 lbs./231 kg
Cap. (person/cells.)	2730 lbs./1231.4 kg	2730 lbs./1233.4 kg	3995 lbs./1797.9 kg	3095 lbs./1379 kg	4535 lbs./2043 kg	4535 lbs./2043 kg	4535 lbs./2043 kg	6554 lbs./2942 kg	6900 lbs./3090 kg
Capacity (lbs.)	290 lbs./132 kg	390 lbs./177 kg	650 lbs./295 kg	900 lbs./405 kg	900 lbs./408 kg	900 lbs./408 kg	900 lbs./408 kg	1150 lbs./522 kg	1310 lbs./593 kg
Inside Depth	16' 7" / 5.0 m	18' 7" / 5.6 m	22' 7" / 6.8 m	22' 7" / 6.8 m	22' 7" / 6.8 m	22' 7" / 6.8 m	22' 7" / 6.8 m	22' 7" / 6.8 m	24' 7" / 7.5 m
Bow Width	32' 7" / 1 cm	32' 7" / 1 cm	36' 7" / 1 cm	44' 7" / 12 cm	48' 7" / 12 cm	44' 7" / 12 cm	48' 7" / 12 cm	50' 7" / 12 cm	60' 7" / 12 cm
Total Height	13' 7" / 6 cm	13' 7" / 6 cm	13' 7" / 6 cm	13' 7" / 6 cm	13' 7" / 6 cm	13' 7" / 6 cm	13' 7" / 6 cm	16' 7" / 5 cm	20' 7" / 1 cm
Hull Thickness	.050" / .127 cm	.050" / .127 cm	.064" / .163 cm	.072" / .183 cm	.072" / .183 cm	.072" / .183 cm	.072" / .183 cm	.087" / .221 cm	.087" / .203 cm
Number of Seats	3	3	3	3	3	3	3	3	1

* With Standard Power



1644 MVX

1648/1648 LW

1750 MVX

1860 MVL

Standard Features and Options

Aluminum Boats

	Pro-Elem 1800 SC	Pro-Elem 1800 DC	Pro-Elem 2000	Islander 191	Islander 221	Expedition 2280	Superfisherman 176 T	Superfisherman 176 SC	Superfisherman 176 DC	Superfisherman 196 DC	Fishmaster 176 DC	Fishmaster 196 DC	Fishmaster 1961	Starline 170 LE	Starline 190 LE	SuperSport 160	Starline 160 T	Starline 160 SC	Starline 160 DC	Starline 170 DC	StarMaster 1754	StarMaster 1860	StarMaster 1900	
Hull Construction																								
Limited Lifetime Deck Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Lifetime Warranty on all Double Riveted Seams	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	
Leakproof for Life Warranty	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S
NMMA Certified	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Meets or Exceeds U.S.C.G. Requirements	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Marine Grade 5052 H34 Aluminum	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Radiant Heat-Cured Paint Finish	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Power-Trac Hull® with Torsion Beam Construction	S	S	S	•	•	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	•	
Torsion Beam Construction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S
Machine Formed Ribs	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Double Riveted Chine & Transom Seams	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	•	
Injected Flotation Foam	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Full-Length Reverse Chine	S	S	S	•	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Built-in Fuel Tank (Gallons)	54	54	54	34	52	117	32	32	32	54	32	54	54	23	32	16	16	16	16	23	18	23	23	
Metal Floor & Composite Bow Deck	•	•	•	•	•	•	•	•	•	•	•	S	S	S	•	•	•	•	•	•	•	•	•	
7-Ply Pressure Treated Floor/Deck	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Marine Grade 16 oz. Carpet	S	S	S	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Stepped Transom for Kicker Motor	S	S	S	•	•	•	S	S	S	S	S	S	S	•	S	S	•	•	•	•	5	•	•	
Cockpit																								
Deluxe Movable Pedestal Seats (Qty.)	(4)	(4)	(4)	•	•	•	(2)	(3)	(3)	(4)	(3)	(4)	(4)	(3)	(3)	(3)	•	(2)	(3)	(3)	(3)	(2)	(2)	
Pedestal Seat Locations (Qty.)	(6)	(6)	(6)	•	•	•	(4)	(6)	(6)	(6)	(5)	(5)	(5)	(6)	(6)	(6)	•	(4)	(5)	(5)	(6)	(2)	(2)	
Helm Seat with Slider	S	S	S	•	•	S	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	
Helm Bench Seat w/Storage	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S	
Fixed Helm Seat	•	•	•	S	S	•	•	•	•	•	•	•	•	•	S	S	S	S	S	S	S	S	S	
Rod Storage (Length)	(8)	(8)	(8)	(8)	(8)	(8)	(7)	(7)	(7)	(7)	(8)	(8)	(8)	(7)	(8)	(8)	•	(7)	(7)	(7)	(7)	(7)	(8)	
Rod Storage (Qty.)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	•	(2)	(2)	(2)	(2)	(1)	(2)	
Rod Storage — Vertical or Rod Ramp	•	•	•	•	S	•	•	•	•	•	S	S	S	•	•	•	•	•	•	•	•	•	S	
Bow/Aft Casting Platform	S	S	S	•	•	•	S	S	S	S	S	S	S	S	S	S	•	S	S	S	S	S	S	
Bow Casting Platform	•	•	•	•	•	•	S	•	•	•	S	S	S	•	•	•	•	•	•	•	•	•	•	
Aft Storage	5	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	

	Pro-Esta 1800 SC	Pro-Esta 1800 DC	Pro-Esta 2000	Islander 191	Islander 221	Expedition 2280	Superfisherman 176 T	Superfisherman 176 SC	Superfisherman 176 DC	Superfisherman 196 DC	Fishmaster 170 DC	Fishmaster 196 DC	Fishmaster 196T	Sunfire 160 SC	Sunfire 160 DC	Sunfire 170 DC	Sunfire 175T	Sunfire 180	Sunfire 1900
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Cockpit Toe Kicks	S	S	S	•	•	S	S	S	S	S	S	S	S	•	•	•	•	•	•
In-Floor Storage	S	S	S	•	•	•	•	•	•	S	•	S	•	•	•	•	•	•	•
Built-In Tackle Storage	•	•	•	•	S	•	•	5	5	S	S	S	5	5	•	•	•	•	•
Maintenance Free Vinyl Cockpit Flooring	•	•	•	S	S	•	0	0	0	0	S	S	S	0	0	•	5	S	•
V-Berth w/Seating for 4 People. Converts to 6' x Bed	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Cabin Windows with Privacy Curtains	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Interior Cabin Lighting	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Large Translucent Bow Hatch w/Screen	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Value Package Stainless Steel Bow Rails, All Seat Cushion, Swim Platform & Ladder	•	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•
Fish Package Trolling Motor, Fish Locator	0	0	0	•	•	•	•	0	0	0	•	•	0	0	•	0	0	0	•
MotorGuide® Trolling Motor	•	•	•	•	•	•	•	•	•	•	•	•	•	0	0	0	•	S	S
Dash & Console																			
Tilt Steering	S	S	S	•	•	•	•	S	S	S	S	S	S	•	•	•	•	•	•
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S
Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Voltmeter	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	•	S	S
Oil & Temperature Gauges	•	•	•	S	S	S	•	•	•	•	•	S	•	•	•	•	•	•	•
Trim Gauge	•	•	•	S	S	S	•	•	•	•	S	•	•	•	•	•	•	•	•
Lanyard Safety Switch	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Humminbird® Wide 100 Fish Locator	0	0	0	•	•	•	0	0	0	0	0	0	0	0	0	0	0	0	0
Lowrance® X-49 Fish Locator	•	•	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lowrance® X-65 Fish Locator	0	0	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0
AM/FM Cassette Stereo	S	S	S	S	S	•	•	S	S	S	S	S	S	•	•	•	•	•	S
Marine Grade Speakers (Qty.)	(4)	(4)	(4)	(2)	(2)	•	•	(2)	(2)	(2)	(2)	(2)	(2)	•	•	•	•	(2)	(2)
Locking Glove Box	S	S	S	•	S	S	•	S	S	S	S	S	S	•	•	•	S	S	•
Starboard Windshield Wiper	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Standard Features and Options

Aluminum Boats

	Pro-EFI 1600 SC	Pro-EFI 1800 DC	Pro-EFI 2000	Islander 181	Islander 221	Expedition 2280	Superfisherman 176 T	SUPERFISHERMAN 176 SC	Superfisherman 176 DC	Superfisherman 196 DC	Fishmaster 176 DC	Fishmaster 196 DC	Fishmaster 1961	Starfire 170 LE	Starfire 190 LE	SuperSport 160	Starfire 160 T	Starfire 160 SC	Starfire 160 DC	Starfire 170 DC	StarMaster 1754	StarMaster 1850	StarMaster 1900	
Port Windshield Wiper	•	•	•	0	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	
Port Console w/Aerodynamic Windscreen & Locking Glove Box	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Plumbing																								
Threaded Sure Lock® Livewell Standpipe	•	•	•	5	5	•	S	S	S	S	S	S	S	S	S	•	S	S	S	S	S	S	•	
Rotocast Livewell(s) with Radiused Corners	S	S	S	•	•	•	S	S	S	S	S	S	S	S	S	•	S	S	S	S	S	S	S	
Timed Livewell(s)	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	
Aerated Bow Livewell (Gallons)	31	31	41	•	•	•	31	31	31	38	21	41	41	18	21	•	22	22	22	31	15	18	18	
Aerated Aft Livewell (Gallons)	14	14	14	•	•	•	12	12	12	16	•	•	•	16	16	•	•	•	•	18	15	21	41	
Aerated Port Side Livewell (Gallons)	•	•	•	29	48	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Lighted Livewell(s)	S	S	S	•	•	•	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	S	S
Aerated Bow Baitwell	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Aerated Aft Baitwell	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Aerated Cockpit Baitwell	•	•	•	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
148 Quart Bow Fish Box	•	•	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Built-in Overflow Drains	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	
Head with Pump Out	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Electrical																								
Removable Bow Navigation Light	S	S	S	•	•	•	S	S	S	S	S	S	S	S	S	•	S	S	S	S	S	S		
Removable Non-Glare Stern Navigation Light	S	S	S	•	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Windshield-Mounted Navigation Light	•	•	•	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Courtesy Lights	S	S	S	•	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Power Point	S	S	S	S	S	•	•	S	S	S	S	S	S	S	S	•	S	S	S	S	S	S		
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Bow Panel with Trolling Motor Plug, Trolling Motor Battery, Volt Gauge, Outboard Motor Trim Switch, Power Point, Courtesy Light, Bow Livewell Fill/Recirculate Switch	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Bow Panel with 12/24 Volt Trolling Motor Plug, Outboard Motor Trim Switch, Courtesy Light, Bow Livewell Fill/Recirculate Switch	•	•	•	•	•	•	•	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•		
Bow Panel with 12/24 Volt Trolling Motor Plug, Outboard Motor Trim Switch, Bow Livewell Fill Switch	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	S	S	•	•	•	•	•	S	

	Pro-Elm 1800 SC	Pro-Elm 1800 DC	Pro-Elm 2000	Islander 191	Islander 221	Expedition 2280	Superfisherman 176 T	Superfisherman 176 SC	Superfisherman 176 DC	Superfisherman 196 DC	Fishmaster 178 DC	Fishmaster 196 DC	Fishmaster 1961	Starfire 170 LE	Starfire 190 LE	SuperSport 160	Starfire 160 T	Starfire 180 SC	Starfire 180 DC	Starfire 1754	Starwater 1860	Starwater 1900	
Starboard Aft 12/24 Volt Trolling Motor Plug	*	*	*	*	*	*	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Bow 12/24 Volt Trolling Motor Plug	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	S	S	S	S	S	*
Bow Livewell Fill Switch	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	S	*
Mechanical																							
No Feedback Rack & Pinion Steering	S	S	S	*	*	*	S	S	S	*	5	S	*	*	*	*	*	*	*	*	*	S	
Rack & Pinion Steering	*	*	*	5	5	*	*	*	*	*	S	*	*	S	S	S	*	S	S	S	*	S	
Hydraulic Steering	*	*	*	*	*	*	S	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Rotary Steering	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	S	*	*
Hydraulic Tilt Steering	0	0	0	*	*	*	*	*	*	0	*	0	*	*	*	*	*	*	*	*	*	*	*
Trim Tabs	*	*	*	*	*	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
No Feedback Rack & Pinion Steering — Dealer Installed	*	*	*	*	*	*	*	*	*	0	*	*	*	*	*	*	*	*	*	*	*	*	*
Canvas																							
Top & Storage Boot	0	0	0	S	S	*	0	0	S	S	S	S	S	0	0	0	0	0	0	0	0	0	*
Mooring Cover with Trolling Motor	0	0	0	*	*	*	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0
Mooring Cover without Trolling Motor	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*
Bow Tonneau Cover	0	0	0	*	*	*	*	*	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*
Side Curtain Set	*	0	0	0	0	*	*	*	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*
Aft Curtain	*	0	0	0	0	*	*	*	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*
Walk-Thru Curtain	*	0	0	*	*	*	*	*	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*
Drop Curtain Set	*	*	0	0	0	*	*	*	*	0	*	0	*	*	*	*	*	*	*	*	*	*	*
Trailers — EZ Loader™																							
Painted Bunk Trailer	S	S	S	0	0	*	5	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Galvanized Bunk Trailer	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Painted Roller Trailer	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*
Galvanized Roller Trailer	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*
Custom Welded Trailer with Swing-Away Tongue & Gold Plated Chrome Wheels	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Gold Plated Chrome Wheels	0	0	0	*	*	*	0	0	0	0	0	0	0	0	*	*	0	0	0	0	*	*	*

S = Standard O = Option * = Not available on this model

Nexstar LXS

The fastest way to true happiness.

In-Floor Storage



Aft "L" Seating Area



Bow Anchor Storage



Bow Chaise Lounge

**WIDE TRAC HULL****Nexstar LXS****2002 Nexstar LXS**

If free-spirited cruising in a high-powered, low-profile runabout tends to put a smile on your face, then we've got the boat for you: The **Nexstar LXS**. Put one through the paces, and you'll find that its revolutionary **Wide Trac Hull®** gives it an amazingly stable ride — even at higher speeds through sharp turns in the chop. The **Nexstar's** exclusive multi-axial "E-glass" construction makes it stronger and lighter than traditional fiberglass boats. And that translates into better, more reliable performance. Did we mention creature comforts? You and your friends will ride in style with spacious seating and sporty upholstery. Think this could be the one for you? Simply drop the throttle and grin from ear to ear.

SPECS	1910 LXS	1959 Fish & Ski	2310 LXS
Standard Power	4.3 L (190 hp)/4.2 kw	4.3 L (190 hp)/4.2 kw	5.0 L (220 hp)/164 kw
Maximum HP	350 MAG MPI (300 hp)/261 kw	350 MAG MPI (300 hp)/261 kw	6.2 L (320 hp)/239 kw
Fuel Capacity	50 gallons/189.3 L	50 gallons/189.3 L	75 gallons/281.9 L
Length	19'2 1/8" m	19'2 1/8" m	23'2 7/16" m
Bread	102/259 cm	102/259 cm	122/329 cm
Weight (boat only)	2100 lbs./952.6 kg	2100 lbs./952.6 kg	3800 lbs./1720.9 kg
Cap. (person/lbs.)	9/1150 lbs./426.12 + kg	9/1150 lbs./426.12 + kg	10/1800 lbs./10816.5 kg
Capacity (lbs.)	1500 lbs./680.4 kg	1500 lbs./680.4 kg	2300 lbs./1043.1 kg
Inside Depth	32.81 cm	32.81 cm	32.81 cm
Transom Width	99/252 cm	99/252 cm	99/252 cm
Chase Width	76/193 cm	76/193 cm	85/216 cm
Transom Height	N/A	N/A	N/A
Pkg. Length	23'2 7/16" m	23'2 7/16" m	26'9 1/8" m
Towing Weight*	4450 lbs./2018.5 kg	4450 lbs./2018.5 kg	5992 lbs./2706.5 kg
Draft*	33/84 cm	33/84 cm	34/86 cm
Deadrise	17°	17°	31°

* With Standard Power

**1910 LXS**



LX5 models have standard blue, crimson or ebony gel stripes available (except on 1959 Fish & Ski)



1959 Fish & Ski



2310 LXS

Shown with optional
snap-in carpet
and trailer

NEXSTAR

Nexstar RXi

Ready for the next level? It's called RXi.



1910 RXI

Nexstar RXi

2002 Nexstar RXi

The Nexstar RXi series — taking luxury to new heights. These four new additions to the revolutionary Nexstar family feature our Wide Trac Hull® construction, with upgraded appointments and a uniquely uncompromising feel. The new 2312 Cuddy has the added attraction of a luxurious V-berth cabin, with a large portside entrance and 60 inches of headroom. The 2312 and the 2510 both feature Starcraft's exclusive center aft entry point for stylish convenience. And the 2510 easily accommodates up to 14 people with its spacious bow and stern seating. Have you arrived? Simply turn the key of a Nexstar RXi, and you'll be there.



RXi Package

- Stainless Steel Rub Rail
- Camery Luxury Interior
- Cockpit Carpet
- Burl Wood Dash and Steering Wheel
- Stereo Touch Pad Remote on Stern Swim Platform
- Enhanced Exterior Graphics

SPECS	1910 RXi	2310 RXi	2312 RXi Cuddy	2510 RXi
Standard Power:	4.3 L (190 hp)/112 kw	5.0 L (220 hp)/164 kw	5.0 L (220 hp)/164 kw	5.0 L (220 hp)/164 kw
Maximum HP:	350 MAG MPI (300 hp)/201 kw	6.2 L MPI (300 hp)/279 kw	8.2 L MAG (373 hp)/279 kw	8.2 L MAG (373 hp)/279 kw
Fuel Capacity:	90 gallons/189.3 L	75 gallons/283.9 L	75 gallons/283.9 L	75 gallons/283.9 L
Length:	19'2" / 5.8 m	23'2" / 7.1 m	23'2" / 7.1 m	25'4" / 7.7 m
Beam:	102" / 259 cm	102" / 259 cm	102" / 259 cm	102" / 259 cm
Weight (boat only):	2100 lbs./952.6 kg	2868 lbs./1300.9 kg	3820 lbs./1778.3 kg	4073 lbs./1848.6 kg
Cap. (persons/lbs.)	9/1350 lbs./40012.4 kg	10/1800 lbs./70018.3 kg	10/1800 lbs./100816.5 kg	14/2100 lbs./14952.6 kg
Capacity (lbs.)	1500 lbs./680.4 kg	2300 lbs./1043.3 kg	2300 lbs./1043.3 kg	2600 lbs./1179.6 kg
Aft Deck Depth:	32" / 81 cm	32" / 81 cm	32" / 81 cm	32" / 81 cm
Stainless Width:	99" / 252 cm	99" / 252 cm	99" / 252 cm	99" / 252 cm
Cabin Width:	76" / 193 cm	85" / 216 cm	85" / 216 cm	85" / 216 cm
Transom Height:	N/A	N/A	N/A	N/A
Flg. Length:	23'2" / 7.1 m	28'9" / 8.8 m	28'9" / 8.8 m	30'8" / 9.2 m
Towing Weight*	4450 lbs./2018.5 kg	5592 lbs./2536.5 kg	7050 lbs./3197.4 kg	7242 lbs./3286.3 kg
Draft [†] :	33" / 84 cm	34" / 86 cm	34" / 86 cm	34" / 86 cm
Deadrise:	17°	21°	21°	21°

* With Standard Power

Double Wide Helm Seat with Flip-Up Bolster



Wrap-Around Bow Seating



Interior Cabin with Cushions and Table (2312 Cuddy)



Bow Chaise Lounge



WIDE TRAC HULL



2312 RXi Cuddy

2510 RXi

Show with optional wide band gel stripe, Bimini Top and Filler Package.

1800 Series

More ways to join the fun.

Take a look at this year's 1800 series. With a wide range of packages at a great value, you can join the Starcraft family without going out on a limb. The 1800s feature the same innovative construction as our Nexstar line, and they are loaded with lots of family-friendly touches. There's a Fish & Ski model for the anglers in your crowd, and all models feature excellent holeshot performance for quick skiing take-offs — as well as a 96° beam with True Track Turning. So toss in a tube and let the fun begin. In the 1800 Series, excitement and value come together in style.



1800
Shown with
optional Ski
Tow Bar.



1809
Fish & Ski



1810



1810 Sport
Shown with
optional extended
swim platform
and Bimini Top.



1810 Sport
Limited Edition



1800 Series

2002 1800 Series

1800 Series models have standard crimson or blue gel stripes available (yellow available only on Limited Edition).

SPECS	1800	1809 Fish & Ski	1810	1810 Sport / Sport LE
Standard Power	75 ELPTO/56 kw	75 ELPTO/56 kw	10 L (131 hp)/701 kw	10 L (135 hp)/701 kw
Maximum HP	130/112 kw	130/112 kw	4.3 L (190 hp)/142 kw	4.3 L (190 hp)/142 kw
Fuel Capacity	30 gallons/113.6 L	30 gallons/113.6 L	30 gallons/113.6 L	30 gallons/113.6 L
Length	18'11"5.5 m	18'11"5.5 m	18'11"5.5 m	18'11"5.5 m
Bow	96/244 cm	96/244 cm	96/244 cm	96/244 cm
Weight (boat only)	1760 lbs./799.7 kg	1760 lbs./799.7 kg	1760 lbs./799.7 kg	1761 lbs./799.7 kg
Cap. (persons/lbs.)	6/125 lbs./865/10.3 kg	6/125 lbs./865/10.3 kg	6/200 lbs./895/4.3 kg	6/1200 lbs./8/544.3 kg
Capacity (lbs.)	1800 lbs./816.5 kg	1800 lbs./816.5 kg	1500 lbs./709.7 kg	1300 lbs./769.7 kg
Inside Depth	33.764 cm	33.764 cm	33.764 cm	33.764 cm
Bowson Width	93/236 cm	93/236 cm	93/236 cm	93/236 cm
Chest Width	76/191 cm	76/191 cm	76/191 cm	76/191 cm
Transom Height	20.751 cm	20.751 cm	N/A	N/A
Pkg. Length	22'3"6.8 m	22'3"6.8 m	22'3"6.8 m	22'3"6.8 m
Towing Weight*	3250 lbs./1474.2 kg	3275 lbs./1483.5 kg	3650 lbs./1655.6 kg	3650 lbs./1655.6 kg
Draft*	29.774 cm	29.774 cm	32.881 cm	32.881 cm
Deadrise	19°	19°	21°	21°

* With Standard Power



Bow Underseat Storage



Wrap-Around Helm Console



High-Back Helm Seat

Limited Edition upgrade includes:

- Deluxe Color Matched Bimini Top
- Custom Interior
- Exterior Graphics Package
- Extended Swim Platform
- Diamond Two-Tone Carpet



2009 Fish & Ski



2015



It's simple. If you're looking for maximum versatility, check out one of the Aurora series deck boats. They feature the industry's best collection of features and amenities, with eight different models to suit your family's needs. For skiing, fishing, swimming, sunning or simply taking everyone along for a ride, the Aurora is an unbeatable crowd-pleaser. And the 2410 RXI, shown below, has the sporty styling of a wrap-around windshield, extended swim platform and underseat fiber optic lighting. So this year, launch a new Aurora and give your family a few more options. Or should we say, a few more standards.

Aurora

2002 Aurora



SPECS	2000	2005	2009 Fish & Ski	2015	2405 B
Standard Power	115 Evinrude/91 kw	115 Evinrude/91 kw	115 Evinrude/91 kw	115 Evinrude/104 kw	150 XL 580/113 kw
Maximum HP	225/149 kw	225 XL Optimax/168 kw	225 XL Optimax/168 kw	350 MAG MPI 300/198 kw	225 XL Optimax/168 kw
Fuel Capacity	51 gallons/193 L				
Length	20 ft 6.2 in				
Bow	102/259 cm				
Weight (boat only)	2410 lbs/1091.3 kg	2115 lbs/957.5 kg	1865 lbs/837.4 kg	2115 lbs/957.5 kg	3073 lbs/1394.8 kg
Cap. (personality)	12/1700 lbs/12/771.1 kg	12/1700 lbs/12/771.1 kg	12/1700 lbs/12/771.1 kg	12/1700 lbs/12/771.1 kg	13/1850 lbs/13/809.2 kg
Capacity (lbs.)	2200 lbs/997.5 kg	2200 lbs/997.5 kg	2200 lbs/997.5 kg	1890 lbs/857.3 kg	2800 lbs/1270 kg
Inside Depth	39/74 cm	31/79 cm	31/79 cm	31/79 cm	32/81 cm
Transom Width	94/239 cm				
Class Width	88/228 cm	86/218 cm	86/218 cm	86/218 cm	90/229 cm
Transom Height	20/51 cm	25/63 cm	25/63 cm	N/A	25/63 cm
Pkg. Length	25 11/7.9 m	25 11/7.9 m	25 11/7.9 m	25 11/7.9 m	30 7/9.3 m
Towing Weight*	4340 lbs/1969 kg	4635 lbs/2102.4 kg	4725 lbs/2114.3 kg	5025 lbs/2279.3 kg	5010 lbs/2272.5 kg
Draft*	38/71 cm	30/76 cm	30/76 cm	32/81 cm	30/76 cm
Deadrise	13°	13°	13°	13°	17°

*With Standard Power



2410 RXI



2415

Die-Hedral Hull

Aurora

Where endless possibilities come standard.



Dual Bow
Chaise Lounges

Wrap-Around
Helm Console

Stern Seating
Area with Table

Vented
Change Room



2410 RXI

52 L (120 lbs/50 kg)	50 L (120 lbs/50 kg)
437 MAG MPH (375 hp/500 kw)	414 MPH (375 hp/320 kw)
16 gallons/59.1 L	16 gallons/59.1 L
26' 3" / 7.95 m	24' 7" / 7.3 m
342 / 216 cu ft	302 / 209 cu ft
3175 lbs/1444.2 kg	3075 lbs/1394.8 kg
13000 lbs/5903.2 kg	13000 lbs/5903.2 kg
1800 lbs/816.4 kg	1900 lbs/861.8 kg
52' 9" / 16 m	52' 9" / 16 m
94239 cm	94239 cm
90229 cm	90229 cm
N/A	N/A
28' 10" / 8.7 m	28' 10" / 8.7 m
3485 lbs/1580 kg	3385 lbs/1532.6 kg
52785 cm	52281 cm
12"	12"

2415

52 L (120 lbs/50 kg)	50 L (120 lbs/50 kg)
437 MAG MPH (375 hp/500 kw)	414 MPH (375 hp/320 kw)
16 gallons/59.1 L	16 gallons/59.1 L
26' 3" / 7.95 m	24' 7" / 7.3 m
342 / 216 cu ft	302 / 209 cu ft
3175 lbs/1444.2 kg	3075 lbs/1394.8 kg
13000 lbs/5903.2 kg	13000 lbs/5903.2 kg
1800 lbs/816.4 kg	1900 lbs/861.8 kg
52' 9" / 16 m	52' 9" / 16 m
94239 cm	94239 cm
90229 cm	90229 cm
N/A	N/A
28' 10" / 8.7 m	28' 10" / 8.7 m
3485 lbs/1580 kg	3385 lbs/1532.6 kg
52785 cm	52281 cm
12"	12"

RXI Package

- Stainless Steel Rub Rail
- Camery Luxury Interior
- Cockpit Carpet
- Burl Wood Dash and Steering Wheel
- Stereo Touch Pad Remote on Stern Swim Platform
- Enhanced Exterior Graphics

Standard Features and Options

Fiberglass Boats

	Nestar 1910 LXS	Nestar 1910 RXI	Nestar 1959 Fish & Ski	Nestar 2310 LXS	Nestar 2310 RXI	Nestar 2312 RXI Cuddy	Nestar 2510 RXI	1800	1809 Fish & Ski	1810	1810 Sport	Aurora 2000	Aurora 2005	Aurora 2009 Fish & Ski	Aurora 2015	Aurora 2405 B	Aurora 2410 RXI	Aurora 2415	
Hull Construction																			
Five Year Hull Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Meets or Exceeds U.S.C.G. Req.	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
NMMA Certified	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
High Elongated Polyester Gel Coat	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Multi-Axial E-Glass for Strength	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Integrated Fiberglass Stringer System	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Injected Foam Construction	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Wide Trac Hull®	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Reverse Chine Hull	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Reverse Chine Die-Hedral V-Hull	*	*	*	*	*	*	*	*	*	*	*	*	*	*	S	S	S	S	
Full Fiberglass Innerliner	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Self-Bailing Fiberglass Deck	*	*	*	*	*	*	S	*	*	*	*	*	*	S	S	S	S	S	
Thru-Bolted Deck to Hull	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Chrome Thru Hull Fittings	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Ski Tow Ring/Bar	S	S	S	S	S	S	*	*	0	0	S	S	0	0	0	S	0	S	
Silent Choice Thru Hull Exhaust	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0	*	0	0	
Integrated Swim Platform with Ladder	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Extended Swim Platform	0	0	0	0	0	0	5	*	*	0	0	0	*	*	0	*	0	S	0
Built-In Fuel Tank (Gallons)	50	50	50	75	75	75	75	30	30	30	30	30	52	51	51	51	51	51	
Fish Package — Dealer Installed: Humminbird® Wide 100 Depth Finder, MotorGuide® Trolling Motor	*	*	0	*	*	*	*	*	0	*	*	0	*	0	*	0	*	*	
Fish Package — Dealer Installed: Lowrance® X-49 Depth Finder, MotorGuide® Trolling Motor	*	*	0	*	*	*	*	*	0	*	*	0	*	0	*	*	*	*	
Fisherman Upgrade Package — 2 Fishing Seats, Rod Holders, Plumbed Baitwell	*	*	*	*	*	*	*	*	*	*	*	*	*	0	*	S	*	*	
Blue — Gel Stripe	*	0	*	*	0	0	0	*	*	*	*	*	*	*	*	*	*	*	
Crimson — Gel Stripe	*	0	*	*	0	0	0	*	*	*	*	*	0	0	0	0	0	0	
Ebony — Gel Stripe	*	0	*	*	0	0	0	*	*	*	*	*	0	0	0	0	0	0	
Cockpit																			
Bucket Helm Seat w/ Slider	*	*	S	*	*	*	*	S	S	S	S	S	*	*	*	S	*		
Bucket Helm Seat w/Slider & Flip-Up Bolster	S	S	*	S	S	*	*	*	*	*	*	*	S	S	S	*	S		
Double Wide Helm Seat w/Flip-Up Bolster	*	*	*	*	*	5	S	*	*	*	*	*	*	*	*	*	*		
Adjustable Back-to-Back Seats	*	*	*	*	*	*	*	*	*	*	S	*	*	*	*	*	*		
Integrated Chaise Lounge	S	S	*	*	*	*	*	*	*	*	*	*	S	S	S	*	S		
Contoured Wrap-Around Stern Bench Seat	*	*	*	S	S	S	S	*	*	*	*	*	*	*	*	*	S		
Contoured Stern Bench Seat	S	S	S	*	*	*	*	S	*	*	S	S	S	S	S	*	S		
Cushioned Bow Seating Area	S	S	S	S	S	*	S	S	S	S	S	S	S	S	S	S	S		
Indirect Cockpit Courtesy Lighting	S	S	*	S	S	S	S	*	*	*	*	*	*	*	*	*	S		
Built-In Plano® Tackle Storage	*	*	S	*	*	*	*	*	*	*	*	*	*	*	S	*	*		
Rod Storage	*	*	S	*	*	*	*	*	*	S	*	*	0	*	S	*	*		
Aerated Livewell (Qty.)	*	*	(1)	*	*	*	*	*	*	(1)	*	*	0	*	(1)	*	*		
Change Room w/Porta-Potti®	*	*	*	*	*	*	S	*	*	*	*	*	S	S	S	S	S		
Bow Trolling Motor Panel	*	*	S	*	*	*	*	S	*	*	*	0	*	S	*	*	*		
Shap-In Cockpit Carpet	0	S	0	0	S	S	S	*	*	*	*	0	0	0	0	0	S	0	

	Nexstar 1910 LXS	Nexstar 1910 RXI	Nexstar 1959 Fish & Ski	Nexstar 2310 LXS	Nexstar 2310 ROO	Nexstar 2312 ROO (Duffy)	Nexstar 2510 ROO	1800	1800	1800 Fish & Ski	1810	1810 Sport	Aurora 2000	Aurora 2005	Aurora 2009 Fish & Ski	Aurora 2015	Aurora 2405 S	Aurora 2410 RXI	Aurora 2415	
Dash & Console																				
Tilt Steering	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Voltmeter	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Oil & Temperature Gauges	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Trim Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
AM/FM Stereo with CD Player	S	S	•	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
AM/FM Cassette Stereo	•	•	S	•	•	•	•	S	S	S	S	S	S	S	S	S	S	S	S	
Stereo Touchpad Remote @ Stern Swim Platform	•	S	•	•	S	S	S	•	•	•	•	•	•	S	S	S	S	S	S	
Marine Grade Speakers (Qty.)	(4)	(4)	(4)	(4)	(4)	(4)	(6)	(2)	(2)	(2)	(2)	(2)	(2)	(4)	(4)	(4)	(4)	(4)	(4)	
In-Dash Depth Finder	S	S	S	S	S	S	S	S	•	•	•	•	•	S	S	S	S	S	S	
Compass	•	•	•	•	•	•	S	S	•	•	•	•	•	S	S	S	S	S	S	
Lockable Glove Box	S	S	S	S	S	S	•	•	•	•	•	•	•	S	S	S	S	S	S	
Porta-Potti®	•	•	•	•	•	•	S	S	•	•	•	•	•	0	S	S	S	S	S	
Plumbing																				
Refreshment Center w/Faucet/Sink	•	•	•	•	•	•	S	S	•	•	•	•	•	S	S	S	S	S	S	
15 Gallon Pressurized Freshwater System for Sink and Transom Shower	•	•	•	•	•	•	S	S	•	•	•	•	•	0	S	S	S	S	S	
Electrical																				
Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Courtesy Lights	S	S	S	S	S	S	S	S	•	•	•	•	S	S	S	S	S	S	S	
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Power Point	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
V-Berth																				
Seating for 4 People; Converts to 6' + Bed	•	•	•	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	
Large Translucent Hatch with Screen	•	•	•	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	
Mechanical																				
No Feedback Rack & Pinion Steering	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Tilt Hydraulic Steering	•	•	•	•	•	•	•	•	•	•	•	•	•	0	0	0	•	0	•	
Canvas																				
Bimini Top & Boot	S	S	S	S	S	S	S	S	0	0	0	0	0	S	S	S	S	S	S	
Mooring Cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Bow Tonneau Cover	0	0	0	0	0	0	•	0	0	0	0	0	0	•	•	•	•	0	•	
Cockpit Cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Enclosure Package — Dealer Installed Aft. Side and Visor Curtain Sets	0	0	0	0	0	0	0	0	0	0	0	0	0	•	•	•	•	0	•	
Enclosure Package — Factory Installed Aft. Side and Visor Curtain Sets	0	0	0	0	0	0	0	0	•	•	•	•	•	•	•	•	•	0	•	
Trailers — EZ Loader®																				
Galvanized Bunk Trailer	0	0	0	0	0	0	•	•	0	0	0	0	0	0	0	0	0	0	0	
Painted Bunk Trailer	S	S	S	•	•	•	•	•	S	S	S	S	0	0	0	0	0	0	0	
Galvanized Roller Trailer	0	0	0	•	•	•	•	•	0	0	0	0	•	•	•	•	•	•	•	
Painted Roller Trailer	0	0	0	•	•	•	•	•	0	0	0	0	•	•	•	•	•	•	•	
Custom Welded Frame Trailer	•	•	•	0	0	0	0	•	•	•	•	•	•	•	•	•	•	•	•	



220



Deluxe Recliner
Helm Seat



220 RE



240



240 RE

Orion 2002 Orion

SPECS	220
Standard Power	40/30 kw
Maximum HP	125/93 kw
Fuel Capacity	30 gallons/114 L
Length	22.67 m
Bow	102/259 cm
Weight (boat only)	1930 lbs./870 kg
Cap. (persons/lbs.)	12/1650 lbs./52/748 kg
Capacity (lbs.)	2800 lbs./1270 kg
Airline/Line Gauge	280/7.203 cm
Tube Diameter	25/64 cm
Colors	blue, canary, green, purple



Stern with optional Comfort Seat Package and stainless steel grill.

Orion Chances are, you'll love being the chauffeur.

The Orion series — definitely not your granddad's pontoon boat. First of all, there's luxury everywhere you look. And secondly, these boats can do it all. From long days of action-packed fun to starlight cruises, you'll appreciate the Orion's deluxe upholstery and large change room. And this year, we've cleared all obstructions from our bow decks — all cleats and tow rings are now safely mounted on the pontoon tube. And for added comfort, all the rotocast furniture bases now feature 360° integrated drains, putting water back in the lake, where it belongs. Is there a line of people already forming on your dock? With a 2002 Orion, you may have to get used to that.

220 RE	240	240 RE	241
4950 lbs	4950 lbs	4950 lbs	5010 lbs/135 hp/321 lbs
1290 lbs	1310 lbs	1310 lbs	43 L (190 hp)/342 lbs
30 gallons/114 L	30 gallons/114 L	30 gallons/114 L	30 gallons/114 L
12'6.7" m	24'7.3" m	24'7.3" m	24'7.3" m
102/259 cm	102/259 cm	102/259 cm	102/259 cm
1938 lbs/876 kg	2100 lbs/953 kg	2100 lbs/953 kg	2275 lbs/1032 kg
121000 lbs/5545 kg	132000 lbs/135930 kg	132000 lbs/135930 kg	131800 lbs/135819 kg
3000 lbs/1270 kg	3833 lbs/1795 kg	3833 lbs/1795 kg	3850 lbs/1795 kg
0807.203 cm	0807.203 cm	0807.203 cm	0807.203 cm
23'84" cm	23'84" cm	23'84" cm	23'84" cm
blue, navy, green, purple	blue, cream, green, purple	blue, cream, green, purple	blue, cream, green, purple

Stern Chaise Lounge



Fiberglass Helm Console



Integrated Storage



Seating Area with Optional Movable Table and BBQ Grill



Saturn

This year, the party's at your place.

Whether it's 14 fourth-graders or a family reunion, you'll entertain them in style in a new Saturn pontoon. This versatile line-up is loaded with features to make every day on the water complete. Like a large, stand-up change room. Full-width sundeck. Plenty of storage for all your water toys. And spacious seating with plush upholstery. This year, the Saturn also features our new flush bow deck with no lights or cleats to get in the way, as well as rotocast furniture bases with 360° integrated drains. Got some burgers for the grill? Good thing, because there's nothing like a day on a Saturn to work up an appetite.



200

Show w/ optional Preferred Equipment Group.



Show w/ optional Preferred Equipment Group and deck box.



200 RE

Stand-Up
Change Room



240

High-Gloss
Helm Console



240 RE

Saturn 2002 Saturn

Rear Entry Deck
with Non-Slip
Vinyl Floor



Underseat
Storage



Show with optional Preferred Equipment Group.

SPECS	200	200 RE	240	240 RE	241
Standard Power	40/30 kw	40/30 kw	40/30 kw	40/30 kw	30 L (335 kg)/101 kw
Maximum HP	75/56 kw	75/56 kw	115/101 kw	135/101 kw	43 L (190 kg)/142 kw
Fuel Capacity	30 gallons/114 L				
Length	30'6.1 m	20'6.1 m	24'7.3 m	24'7.3 m	24'7.3 m
Beam	96/72/44 cm				
Weight (boat only)	1720 lbs./780 kg	1720 lbs./780 kg	2050 lbs./930 kg	2050 lbs./930 kg	2225 lbs./1000 kg
Cap. (persons/lbs.)	10/1440 lbs./50853 kg	10/1440 lbs./50853 kg	15/2050 lbs./15930 kg	15/2050 lbs./15930 kg	13/1805 lbs./13819 kg
Capacity (lbs.)	2265 lbs./1027 kg	2265 lbs./1027 kg	2835 lbs./1285 kg	2835 lbs./1285 kg	1850 lbs./839 kg
Airflow (cfm)	0.907.203 cm				
Tube Diameter	23.758 cm				
Colors	blue, canary, green, purple				



Cruise The perfect getaway vehicle.

This is what you've waited for — the end of the week. And the fastest way to put it all behind you? A new Starcraft Cruise pontoon. These value-packed boats are loaded with extras, and they feature the same top-of-the-line construction as our high-end pontoons.

SPECS	160	160 Fish	180
Standard Power	25/19 kw	25/19 kw	25/19 kw
Maximum HP	40/30 kw	40/30 kw	60/45 kw
Fuel Capacity	12 gallons (port)/45 L	12 gallons (port)/45 L	12 gallons (port)/45 L
Length	16'4 1/2"	16'4 1/2"	18'5 3/4"
Bow	96/244 cm	96/244 cm	96/244 cm
Weight (boat only)	1165 lbs./528 kg	1165 lbs./528 kg	1425 lbs./646 kg
Cap. (persons/lbs.)	91260 lbs./4572 kg	91260 lbs./4572 kg	101400 lbs./4635 kg
Capacity (lbs.)	1600 lbs./726 kg	1600 lbs./726 kg	2000 lbs./907 kg
Aluminum Gauge	.080/.203 cm	.080/.203 cm	.080/.203 cm
Tube Diameter	23/78 cm	23/78 cm	23/78 cm
Colors	Mar., green	Mar., green	Mar., green



160 Fish



160



Helm Console



Cruise 2002 Cruise

Like pressure-checked tubes. All-aluminum, welded transom. 7-ply pressure-treated plywood deck. And anodized rub rails. In addition, the fence panels are insulated to eliminate noisy vibrations, and the tubes feature a full-length keel for extra steering stability and protection while launching. With all this at such a great value, it would be a crime to let another summer slip away. The 2002 Cruise.

180 Fish

25/19 kw	25/19 kw	25/19 kw	25/19 kw	25/19 kw
60/45 kw*	60/45 kw*	60/45 kw**	60/45 kw**	60/45 kw**
12 gallons (per 945 L)	30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)
18/5.5 m	20/6.1 m	20/6.1 m	22/6.7 m	22/6.7 m
90/244 cm	96/244 cm	96/244 cm	96/244 cm	96/244 cm
1425 lbs./646 kg	1720 lbs./780 kg	1720 lbs./780 kg	1892 lbs./858 kg	1892 lbs./858 kg
18140 lbs./10635 kg	301440 lbs./10853 kg	102440 lbs./10853 kg	11/460 lbs./11662 kg	11/460 lbs./11662 kg
1250 lbs./567 kg	2320 lbs./1052 kg	2320 lbs./1052 kg	2590 lbs./1175 kg	2590 lbs./1175 kg
380/1203 cm	480/1203 cm	480/1203 cm	480/1203 cm	480/1203 cm
13758 cm	23758 cm	23758 cm	23758 cm	23758 cm
blue, green	blue, green	blue, green	blue, green	blue, green

200

25/19 kw	60/45 kw*	30 gallons (114 L)	22/6.7 m	96/244 cm
60/45 kw**	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)	22/6.7 m	96/244 cm
20/6.1 m	20/6.1 m	22/6.7 m	22/6.7 m	96/244 cm
96/244 cm				
1720 lbs./780 kg	1720 lbs./780 kg	1892 lbs./858 kg	1892 lbs./858 kg	1892 lbs./858 kg
301440 lbs./10853 kg	102440 lbs./10853 kg	11/460 lbs./11662 kg	11/460 lbs./11662 kg	11/460 lbs./11662 kg
2320 lbs./1052 kg	2320 lbs./1052 kg	2590 lbs./1175 kg	2590 lbs./1175 kg	2590 lbs./1175 kg
480/1203 cm				
23758 cm				
blue, green				

200 Fish

25/19 kw	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
60/45 kw**	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)	22/6.7 m	96/244 cm
20/6.1 m	20/6.1 m	22/6.7 m	22/6.7 m	96/244 cm
96/244 cm				
1720 lbs./780 kg	1720 lbs./780 kg	1892 lbs./858 kg	1892 lbs./858 kg	1892 lbs./858 kg
102440 lbs./10853 kg	102440 lbs./10853 kg	11/460 lbs./11662 kg	11/460 lbs./11662 kg	11/460 lbs./11662 kg
2320 lbs./1052 kg	2320 lbs./1052 kg	2590 lbs./1175 kg	2590 lbs./1175 kg	2590 lbs./1175 kg
480/1203 cm				
23758 cm				
blue, green				

220

25/19 kw	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
60/45 kw**	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)	22/6.7 m	96/244 cm
22/6.7 m	22/6.7 m	22/6.7 m	22/6.7 m	96/244 cm
96/244 cm				
1892 lbs./858 kg				
11/460 lbs./11662 kg				
2590 lbs./1175 kg				
480/1203 cm				
23758 cm				
blue, green				

220 Fish

25/19 kw	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
60/45 kw**	60/45 kw**	30 gallons (114 L)	22/6.7 m	96/244 cm
30 gallons (114 L)	30 gallons (114 L)	30 gallons (114 L)	22/6.7 m	96/244 cm
22/6.7 m	22/6.7 m	22/6.7 m	22/6.7 m	96/244 cm
96/244 cm				
1892 lbs./858 kg				
11/460 lbs./11662 kg				
2590 lbs./1175 kg				
480/1203 cm				
23758 cm				
blue, green				

* 75 HP rating with dealer installed trim limit switch.

** 90 HP rating with dealer installed trim limit switch.

"L" Seating Area with Table




Underseat Storage



Starfish

You wait seven months a year for this. Make it count.



Starfish

2002 Starfish

Want to make the most of your family's summertime? Then pile them in a Starfish pontoon. You'll find plenty of features for cruising, tubing, swimming and sunning. Plus, it's all decked out for fishing, with 4 pinchless fishing seats and lockable rod storage. For those who like to pack lots of activities in a single outing, there's a large, stand-up change room on the 240. And to give you a break from the sun, all the models have a large, stylish bimini top with side wings. Have you waited long enough? Get a new Starfish, and even you'll be counting the minutes until school's out.

SPECS	180	200	220	240
Standard Power	25/19 kw	40/30 kw	40/30 kw	40/30 kw
Maximum HP	75/56 kw	90/67 kw	90/67 kw	135/101 kw
Fuel Capacity	12 gallons (open), 145 L	12 gallons (port), 145 L	23 gallons/87 L	23 gallons/87 L
Length	18'7.5 in	20'6.1 in	22'6.7 in	24'7.3 in
Bow	96/244 cm	96/244 cm	96/244 cm	96/244 cm
Wight (boat only)	1425 lbs./646 kg	1673 lbs./760 kg	1892 lbs./865 kg	1950 lbs./885 kg
Cap. (personnel/lbs.)	10/1400 lbs./1003 kg	9/1125 lbs./870 kg	11/1530 lbs./11094 kg	11/1365 lbs./11010 kg
Capacity (lbs.)	2000 lbs./907 kg	2363 lbs./1027 kg	2705 lbs./1227 kg	2770 lbs./1257 kg
Aluminum Gauge	0807.203 cm	0807.203 cm	0807.203 cm	0807.203 cm
Tube Diameter	23'58 cm	23'58 cm	23'58 cm	23'58 cm
Colors	blue, green	blue, green	blue, cream, green, purple	blue, cream, green, purple

Underseat Storage



Seating Area with Table



Open Rod Storage



Lockable Rod Storage (240) w/Rod Sleeve Protector



Shown with optional air tow bar

Standard Features and Options

Pontoon Boats

	Orion 220	Orion 220 RE	Orion 240	Orion 240 RE	Orion 241	Saturn 200	Saturn 200 RE	Saturn 240	Saturn 240 RE	Saturn 241	Cruise 160	Cruise 160 Fish	Cruise 180	Cruise 180 Fish	Cruise 200	Cruise 200 Fish	Cruise 220	Cruise 220 Fish	Starfish 180	Starfish 200	Starfish 220	Starfish 240
Hull/Deck Construction																						
Limited Lifetime Floor/Deck/Tubes/ Transom Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
NMMA Certified	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Flush Bow Decks	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
7-Ply Pressure Treated Floor/Deck	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Stealth® Composite Floor/Deck	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Diamond Carpet	*	*	*	*	*	S	S	S	S	S	0	0	0	0	0	0	0	0	0	0	0	
Infinity Carpet	S	S	S	S	S	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	
Thru-Bolted Floor/Deck	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
LockOut® Sealant Tape	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Aluminum Under-Deck Liner Kit	0	0	0	0	S	*	*	0	0	S	*	*	*	*	*	*	0	0	*	*	*	
25" Tubes	S	S	S	S	S	*	*	0	0	0	*	*	*	*	*	*	0	0	*	*	0	
25" Center Tube	0	0	0	0	*	*	*	0	0	*	*	*	*	*	*	*	0	0	*	*	0	
23" Tubes	*	*	*	*	*	*	*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
23" Center Tube	*	*	*	*	*	*	*	0	0	*	*	*	*	*	*	*	0	0	*	*	0	
Aluminum All-Welded Transom	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Anodized 1-1/4" Aluminum Fence Rails	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Insulated, Crystal-Coated Fence Panels	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Built-In Fuel Tank (Gallons)	30	30	30	30	30	30	30	30	30	30	*	*	*	*	30	30	30	30	*	23	23	
Portable Fuel Tank (Gallons)	*	*	*	*	*	*	*	*	*	*	12	12	12	12	*	*	*	*	12	12	*	
Full Length Keels	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Deck Amenities																						
Comfort Suite Package Detachable CD Player, 2 Movable Cup Holders, Ski Tow Bar, Burl Wood Wheel, Remote On-Deck Safety Lighting System	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Preferred Equipment Group Detachable Face CD Player, Docking Lights, 2 Movable Cup Holders, 25 Quart Cooler, Boarding Ladder	*	*	*	*	*	*	0	0	0	0	0	0	0	*	*	*	*	*	*	0	0	
Value Package Cooler w/Insert, Boarding Ladder, Docking Lights, Windscreen	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0	0	0	0	*	
Hammer Seat with Slider	S	S	S	S	S	S	S	S	S	S	*	*	*	*	S	S	S	S	S	S	S	
Rotocast Furniture Bases w/Integrated Drains	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Padded Aft Sundeck	S	S	S	S	S	S	S	S	S	S	*	*	*	*	S	S	S	S	*	*	S	
Pop-Up Change Room	0	0	0	0	S	0	S	0	S	S	*	*	*	*	0	0	0	0	*	0	S	
Alpha® Vinyl Floor Covering	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

	Onion 220	Onion 220 RE	Onion 240	Onion 240 RE	Onion 241	Salem 200	Salem 200 RE	Salem 240	Salem 240 RE	Salem 241	Cruise 160	Cruise 160 Fish	Cruise 180	Cruise 180 Fish	Cruise 200	Cruise 200 Fish	Cruiser 220	Cruiser 220 Fish	Starfish 180	Starfish 200	Starfish 220	Starfish 240	
Bow Chaise Lounge(s)	•	S	S	S	S	S	•	S	S	S	•	•	•	•	•	•	•	•	•	•	•	S	
Bow Couch(es)	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Aft Chaise Lounge(s)	S	S	S	S	•	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	S	S	
Aft "L" Seating Group	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Deluxe Fishing Seats w/Pinchless Hinges (Qty.)	•	•	•	•	•	•	•	•	•	•	(2)	•	(2)	•	(2)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	
Rod Storage or Rod Holders	•	•	•	•	•	•	•	•	•	•	S	•	S	•	S	S	S	S	S	S	S	S	
Dash & Console																							
Color Coordinated Dash & Console	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Quick-Release Smoked Plexiglas® Windscreen	S	S	S	S	S	S	S	S	S	S	0	0	0	0	0	0	0	0	0	0	S	S	
Speedometer	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	
Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Voltmeter	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	S	S	
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	•	•	•	•	S	S	S	S	S	S	S	S	
Trim Gauge	S	S	S	S	S	S	S	S	S	S	0	•	•	•	•	•	•	•	•	•	•	•	
Oil & Temperature Gauge	•	•	•	S	S	•	•	•	•	S	•	•	•	•	•	•	•	•	•	•	•	•	
In-Dash Depth Finder	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	0	0	•	
Lowrance® X-28 Fish Locator	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	0	S
12 Volt Power Point	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Tilt Steering	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
AM/FM Stereo Cassette	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Marine Grade Speakers (Qty.)	(4)	(4)	(4)	(4)	(4)	(2)	(2)	(4)	(4)	(4)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	
Electrical																							
Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Courtesy Lights/Indirect Floor Lighting	S	S	S	S	S	S	S	S	S	S	•	•	•	•	•	•	•	•	•	•	S	S	
Docking Lights	S	S	S	S	S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Plumbing																							
Aerated Livewell (Qty.)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	(1)	•	(1)	•	(1)	•	(1)	(2)	
Canvas																							
Color Coordinated Bimini Top w/Storage Boot	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Dual Bimini Top	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Mooring (Travel) Cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Stealth® Composite Flooring

Optional composite pontoon flooring made of space-age synthetics is stronger and quieter than aluminum floors.

**Dual Bimini Top**

Offers twice as much protection from the elements as our standard bimini top. Treated to resist water and mildew.

Cockpit Cover

Protects your fiberglass boat during trailering or at dockside. Treated to resist water and mildew.

**Bimini Top with Side & Aft Curtain Sets**

Treated to resist water and mildew. Available on fiberglass boats.

Accessories. Just to top it all off.

**Molded Fiberglass Refreshment Center**

Wash your hands, clean fruit, or rinse out dishes without having to return to the dock. Available on pontoons.

**Bimini Top with Bow Tonneau Cover, Side Curtains & Drop Curtain**

Protection from the elements while you fish. Treated to resist water and mildew. Available on aluminum boats.

**Refrigerator**

Available on
Nexstar 2510 RXI
as part of
wet bar option.

Trouble-Free Bed

Couch converts to comfy bed for tanning or napping. Opens easily with one hand. No loose cushions to fumble around with.

**Bimini Top, Bow Tonneau Cover, Side & Aft Curtain Sets**

Maximum protection from the elements. Treated to resist water and mildew. Available on aluminum boats.

VOLVO PENTA**Volvo Engines**

Selected Starcraft deck boats come standard with a Volvo stern drive engine.

Remote Control Halogen Dock Light

Makes docking your pontoon easier and safer at night.



Mooring Cover with Bow Tonneau Cover

Protect your fiberglass boat during trailering or at dockside. Treated to resist water and mildew.



Trailers

Choose from three easy-loading trailers for your aluminum boat. See your Starcraft dealer for details.



Ski Tow Bar

Helps keep the ski tow rope out of the engine's way (N/A on I/O models).



Swing-Away Tongue

Turns to the side, allowing you to pull the boat farther into the garage for storage.



Mercury Propulsion

Selected Starcraft boats come standard with a Mercury® outboard or MerCruiser® stern drive with optional horsepower matched to each hull for optimum performance and economy.

MERCURY
The Water Calls

* Not all accessories are available on every Starcraft boat. Please refer to the specification pages for a detailed listing of standard features and options.

Good times on the water start with Starcraft.

In today's world, family is more important than ever before. At Starcraft, we believe that boating offers the best way for families to spend quality time together. Wherever you happen to enjoy the water — at our lakes, parks or rivers — and whatever type of activities you choose, it's all about sharing valuable time with friends and family.



STARCRAFT
MARINE

MERCURY
The Water Calls

201 Starcraft Drive P.O. Box 517 Topeka, IN 46571 (219) 593-2500

In the interest of continually developing the finest products possible, Starcraft reserves the right to change products and specifications without notice. All representations in this catalog are believed to be correct at the time of publication. Some optional equipment may be shown in some photographs.
Part No. 1197860 © Copyright 2001 Printed in U.S.A. 11/01

