

 **STARCRAFT**
FISHING

09





» **FAMILY FIRST.** *Since 1903*

Today's Starcraft is a company run by the same family that started it all, back in 1903. Four generations of the Schrock family have dedicated themselves to leading the industry in quality and innovation with fun, versatile boats that are well within reach. There's a sense of pride at Starcraft that you won't find anywhere else. Pride in our boats and pride in backing them up. A commitment made from our family to yours.



OVER
100 YEARS
QUALITY SERVICE

Raised on the water; the fifth generation of the Starcraft family.





STARCRAFT IS // Heritage

» **POWER OF CHOICE.**

Only Starcraft allows you to combine the broadest model lineup with your choice of the world's top five engine manufacturers to create the very best boat for you.



» **HERITAGE. IN MOTION.**

Where are you from? It's the question that defines us most. It connects us with the place that's at once our anchor and our compass. At Starcraft, we come from a place called fishing. For more than 100 years, our boats have dotted shores of all sizes — with names like Bull Shoals, Okeechobee, Put-in-Bay. Places that have welcomed generations of families who love this sport. Wherever you fish, as you throttle on plane at the crack of dawn, you join thousands of anglers who put our heritage in motion. And with every day on the water, we're proud to become part of your heritage, too.

BOATS

CONTENTS:

- Construction 5
- Islander 7
- Fishmaster 9
- Super Fisherman 11
- STX Pro Series 13
- Team Starcraft 15
- Starfire 17
- Starcaster 19
- Freedom 21
- Jons & Utilities 23
- Standards & Options 25
- Full Lineup 31

Visit our website for the latest information.

» 09ALUMINUM *Since 1903*

CONSTRUCTION & WARRANTY



THE STARCRAFT // Difference

» 09CONSTRUCTION

1 5052 H34 MARINE GRADE ALUMINUM.

Recognized for its durability and toughness, this is the only aluminum we use on our boats. It resists dents, dings and corrosion. It also gives our boats the greatest tensile strength available. So your Starcraft boat will last and last.

2 FOAM INJECTION.

At Starcraft, our foam is injected, not poured, between the floor and hull. This allows the gasoline-resistant urethane foam to fill every cavity — eliminating all air and water pockets for greater buoyancy and reduced noise. It's a difference you can feel as soon as you climb aboard in the strength and support of the floor.

3 FULL-LENGTH REVERSE CHINE.

Our exclusive reverse chine design pushes water down and away. This keeps the bow down as you accelerate, getting you out of the hole faster. It also gives you superior acceleration and improved cornering. It's one of the things that makes our boats unique.

4 TBC STRINGER SYSTEM.

Other manufacturers rely on flat I-beams as the basis of their construction, but at Starcraft, we use the elite Torsion Beam Construction (TBC) stringer system. This strong, resilient and flexible system offers greater shock absorption, giving you yet a smoother ride — even in rough waters.

5 MACHINE-FORMED RIBS.

Designed and built for superior strength and flexibility, our machine-formed ribs outperform the traditional, heavy two-ply aluminum ribs used by our competitors.



POWER-TRAC HULL®.

Our shock-absorbing Power-Trac Hull® combines longitudinal, machine-formed ribs with Starcraft's exclusive Torsion Beam Construction (TBC) stringer system that flexes with the waves instead of against them, providing greater strength and a smoother ride.


BUILT TO LAST.

How tough is a Starcraft aluminum fishing boat? Glad you asked. Each one is NMMA Certified and meets or exceeds all U.S. Coast Guard requirements. We use only 5052 H34 marine grade aluminum — the toughest we could find — to resist dents, dings and unwanted corrosion. We also finish our boats with a radiant heat-cured paint finish for good looks that will last, season after season.

» STARCRAFT WARRANTY

Starcraft offers a variety of outstanding warranties on our boats. Our Aluminum boats come with a limited lifetime warranty on riveted and welded main hull seams. For complete warranty information on any particular aluminum boat, contact your Starcraft dealer.

CONSTRUCTION.



6 DOUBLE-RIVETED SEAMS.

Throughout our boats, all transom and chine seams are double-riveted. Double-riveting provides a tighter seal for increased structural integrity. It's just another example of the extra steps Starcraft takes to ensure that our boats perform better and last longer.

» 09 ISLANDER

SPECIFICATIONS

	221 I/O	221 OB
Max HP	220	200
Fuel Capacity (gallons)	52	52
Length	22' 6"	24' 6"
Beam	96"	96"
Weight (boat only)	1858	2023
Capacity (persons/lbs.)	(8) 1200	(8) 1200
Capacity (lbs.)	2000	2400
Inside Depth	30"	30"
Transom Width	90"	90"
Chine Width (at Transom)	81"	81"
Transom / Bracket Height (for engine)	N/A	25"
Aluminum Gauge	.100"	.100"
Boat Motor and Trailer Length	28'	30'
Towing Weight	3983	3777
Draft with Drive Down	34"	26"
Draft with Drive Up	22"	13"
Deadrise (degree)	18	18
Bimini Top	—	—

» Driver's Console

» V-Berth

» Driver Side Storage



COLOR OPTIONS: ■ Light Gray with Black ■ Light Gray with Electric Blue

221 I/O

221 OB



ISLANDER

STARBUCK STRENGTH



Big water. Big fish. Big fun.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

>> 09 FISHMASTER

SPECIFICATIONS

	2100	196
Max HP	250	175
Fuel Capacity (gallons)	52	52
Length	20' 10"	19' 9"
Beam	101"	100"
Weight (boat only)	1715	1498
Capacity (persons/lbs.)	(10) 1410	(9) 1250
Capacity	2350	2050
Inside Depth	31"	31"
Transom Width	99"	99"
Chine Width (at transom)	94"	84"
Transom / Bracket Height (for engine)	25"	25"
Aluminum Gauge	.100"	.100"
Boat Motor and Trailer Length	25' 7"	23' 5"
Towing Weight (w/standard power)	3795	3394
Draft with Drive Down	26"	29"
Draft with Drive Up	15"	17"
Deadrise (deg. at transom)	15	19
Bimini Top	—	—


>> Driver's Console



>> Rod Storage



>> Stern Seating



COLOR OPTIONS: ■ Light Gray with Black ■ Light Gray with Electric Blue

2100



196



FISHMASTER

EXPERTISE



It's time to get serious.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

>> 09 SUPERFISHERMAN

SPECIFICATIONS

	180	170	170 Sport
Max HP	200	150	140
Fuel Capacity (gallons)	32	32	32
Length	18' 7"	17' 8"	16' 10"
Beam	100"	100"	89"
Weight (boat only)	1356	1273	1095
Capacity (persons/lbs.)	(9) 1250	(8) 1075	(6) 825
Capacity	1985	1800	1555
Inside Depth	29"	29"	23"
Transom Width	99"	99"	89"
Chine Width (at transom)	84"	84"	78"
Transom / Bracket Height (for engine)	25"	25"	20"
Aluminum Gauge	.100"	.100"	.100"
Boat Motor and Trailer Length	23' 7"	23' 7"	21' 3"
Towing Weight (w/standard power)	3195	2976	2645
Draft with Drive Down	29"	29"	23"
Draft with Drive Up	17"	17"	14"
Deadrise (deg. at transom)	19	19	10
Bimini Top	S	O	S
Bert's Rod Track	S	S	O

>> Driver's Console

>> Rod Storage

>> Bow Storage



Shown with optional Graph.

COLOR OPTIONS: ■ White with Black ■ White with Red ■ White with Electric Blue

180

170

170 Sport



Shown with optional Trolling Motor.

Shown with optional Trolling Motor, Ski Tow and Swim Platform.

SUPERFISHERMAN

VERSATILITY



Shown with optional Trolling Motor, Graph, Ski Tow and Swim Platform.

The most versatile, family-friendly boat in its class.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

>> 09STX

SPECIFICATIONS

2050

Max HP	250
Fuel Capacity (gallons)	52
Length	20' 2"
Beam	100"
Weight (boat only)	1734
Capacity (persons/lbs.)	(6) 900
Capacity	2115
Inside Depth	24"
Transom Width	99"
Chine Width (at transom)	84"
Transom / Bracket Height (for engine)	25"
Aluminum Gauge	.100"
Boat Motor and Trailer Length	24' 6"
Towing Weight (w/standard power)	3715
Draft with Drive Down	29"
Draft with Drive Up	17"
Deadrise (deg. at transom)	19
Bimini Top	S

>> Driver's Console

>> Livewell with Oxygenator

>> Bow Controls



COLOR OPTIONS: White with Black White with Red White with Electric Blue



Official Boat of Team Starcraft.
STX shown with Team Graphics.



STX 2050

STX proudly features Bert's Custom Tackle and The Oxygenator™.



Standard Bimini Top not shown.



STX

PRO FISHING



The power to fish like the pros.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

» 09 TEAM STARCRAFT

Starcraft pro fishing boats are born of the experience and expertise of Team Starcraft. Our pros are out there week after week putting our boats to the test on a wide range of circuits including walleye, bass, crappie, muskie, salmon, striper and catfish. Their success is the ultimate testimonial for our advanced hull designs, spacious floorplans and outstanding features. We offer our thanks to each team member for the hard work and competitive spirit that resulted in top finishes in 2008. We're already looking forward to a great season in 2009.

IN A LEAGUE OF THEIR OWN.

We introduced our new Starcraft STX 2050 Tournament Boat and we ran boats to a select group of fishing professionals. Here were the results in some of the pro fishing circuits throughout North America.

- 1 - 2008 Cabelas MWC World Walleye Champions (Masters Walleye Circuit)
- 4 - MWC World Walleye Championship Qualifiers 2008 and 2009
- 9 - Top 10 Team of the Year Titles
- 1 - 9th place finish 2008 In-Fisherman PWT Championship shootout
- 6 - Tournament wins including one Championship victory
- 39 - Top Ten finishes
- 5 - Cabelas 2009 NTC Qualifiers

Team Captain
Greg Yarbrough

Jeff Manz

CIRCUITS TO LOOK FOR OUR TOURING PROFESSIONAL ANGLERS IN 2009:

- AIM Professional Walleye Circuit
(Anglers Insight Marketing)
- AIM Satellite Series
- FLW Walleye Tour
- FLW Walleye League
- Cabelas MWC (Masters Walleye Circuit)
- WSWC - Washington State Walleye Circuit
- MWT - Michigan Walleye Tour
- MTT - Minnesota Tournament Trail
- MWS - Midwest Walleye Series
- LEWT - Lake Erie Walleye Trail
- Kansas Walleye Association
- SBCC - Striped Bass Conservation Coalition
- ABA - American Bass Angler
- BWS - Bass Weekender Series

TEAM STARCRAFT



» 09 TEAM MEMBERS

We are so proud of our Team members. That is why we invite you to join us and take a ride in the best freshwater tournament boat on the market. And, become a member of the hottest fishing team in the world of fishing today.

Thank you to the following Team Starcraft Members:

- + Greg Yarbrough, Team Captain - Port Clinton, OH
- + Jeff Manz - Vanderbilt, MI
- + Matt Davis - Marion, OH
- + Dan Gies - Huron, OH
- + Gary Zart - Hinkley, OH
- + Nate Seiferlein - Chesterfield, MI
- + Shawn Bongers - Spokane, WA
- + Jeff Seyka - Milford, MI
- + Mike McMaken - Cedarville, MI
- + Bill Murray - Brighton, MI
- + Larry Lovold - Lake Park, MN
- + Ben Schmoltdt - Kewskum, WI
- + Jason Doyon - Sault Ste. Marie, Ontario, Canada
- + Joe Cartright - Appleton, WI
- + Tony Puccio - Verona, WI
- + Mark Broderick - Coon Rapids, MN
- + Ed Clements - Bay City, MI
- + Ryan Sagady - Bay City, MI
- + Brian Holmer - Thief River Falls, MN
- + Steve Lamb - Oxford, MI
- + Leon Dykas - Torrington, CT
- + Bob Angello - Nashville, TN
- + Trent Lee - Shelby Township, MI

» PROMOTIONAL PARTNERS:



» 09 STARFIRE

SPECIFICATIONS

	1700 DC	1700 SC	1600 DC	1600 SC
Max HP	90	90	13	13
Fuel Capacity (gallons)	23	23	15' 11"	15' 11"
Length	16' 11"	16' 11"	85"	85"
Beam	85"	85"	855	805
Weight (boat only)	925	875	(6) 825	(6) 825
Capacity (persons/lbs.)	(6) 900	(6) 900	1350	1350
Capacity	1450	1450	22"	22"
Inside Depth	22"	22"	85"	85"
Transom Width	85"	85"	71"	71"
Chine Width (at transom)	71"	71"	20"	20"
Transom / Bracket Height (for engine)	20"	20"	20"	20"
Aluminum Gauge	.100"	.100"	.100"	.100"
Boat Motor and Trailer Length	22' 11"	22' 11"	20' 11"	20' 11"
Towing Weight (w/standard power)	2063	2013	1783	1733
Draft with Drive Down	21"	21"	21"	21"
Draft with Drive Up	12"	12"	12"	12"
Deadrise (deg. at transom)	10	10	10	10
Bimini Top	0	0	0	0

» Driver's Console

» Lockable Rod Storage

» Livewell



Shown with optional Graph.



COLOR OPTIONS: White with Red White with Electric Blue

1700 DC



1700 SC



1600 DC



1600 SC



1600 DC and 1600 SC shown with optional Trolling Motor.



STARFIRE

HERITAGE



Shown with optional Trolling Motor.

Putting great fishing within reach for generations.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

>> 09STARCASTER


SPECIFICATIONS

	179 PRO V	1789 SC	1789 T	178 SC
Max HP	90	60	50	75
Fuel Capacity (gallons)	21	N/A	N/A	21
Length	17' 6"	17' 6"	17' 6"	17' 6"
Beam	85"	85"	81"	81"
Weight (boat only)	1075	745	745	965
Capacity (persons/lbs.)	(4) 525	(4) 525	(4) 525	(4) 525
Capacity	1075	1025	1025	1075
Inside Depth	18"	17"	17"	17"
Transom Width	85"	81"	81"	81"
Chine Width (at transom)	54"	54"	54"	54"
Transom / Bracket Height (for engine)	20"	20"	20"	20"
Aluminum Gauge	.100"	.080"	.080"	.080"
Boat Motor and Trailer Length	22' 4"	22'	22'	22'
Towing Weight (w/standard power)	2415	1750	1750	2025
Draft with Drive Down	20"	19"	19"	19"
Draft with Drive Up	8"	7"	7"	7"
Deadrise (deg. at transom)	10	10	10	10

>> Driver's Console

>> Rod Storage

>> Bait Livewell



Shown with optional Graph.

COLOR OPTIONS: Black Red; 179 PRO V

179 PRO V

Starcraft Starcaster is equipped with the 46 PD Motor Guide.

MotorGuide
NEVER STOP.



178 SC



1789 SC and 1789 T also available. See starcraftmarine.com for more details.



STARCASTER

BASS FISHING



Fish the shallows like never before.

LOG ON. LEARN MORE. >> WWW.STARCASTMARINE.COM

» 09 FREEDOM

SPECIFICATIONS

	Freedom 180 SC	Freedom 180 T	Freedom 160 SC	Freedom 160 T
Max HP	125	90	90	75
Fuel Capacity (gallons)	23	23	23	23
Length	18' 11"	18' 11"	16' 11"	16' 11"
Beam	89"	89"	89"	89"
Weight (boat only)	875	875	875	875
Capacity (persons/lbs.)	(6) 900	(6) 900	(6) 900	(6) 900
Capacity	1450	1450	1450	1450
Inside Depth	22"	22"	22"	22"
Transom Width	85"	85"	85"	85"
Chine Width (at transom)	71"	71"	71"	71"
Transom Height (for engine)	20"	20"	20"	20"
Aluminum Gauge	.100"	.100"	.100"	.100"
Boat Motor & Trailer Length	21' 11"	21' 11"	21' 11"	21' 11"
Towing Wt. W/90 Merc 4s	2013	2013	2013	2013
Draft - At Rest With Engine Down	21"	21"	21"	21"
With Engine Up	12"	12"	12"	12"
Deadrise (deg at transom)	10	10	10	10

» Control Panel

» Rod Storage

» Bait Livewell



COLOR OPTIONS: ■ Camel ■ Light Gray with Red

Freedom 180 SC



Freedom 180 T



Freedom 160 SC



Freedom 160 T




Shown with optional Trolling Motor.



FREEDOM

RELIABILITY



Get back to the basics.

LOG ON. LEARN MORE. >> WWW.STARCRAFTMARINE.COM

VALUE



PRO CAMP 1620 SC

PRO CAMP 1620 SC

PRO CAMP 1620 T



ROGUE 1686
Not Shown: ROGUE 1886.



CANOE 17



CANOE 16 SQ




CANOE 15



JON 1432



JON 1232



JON 1032



Not Shown: Jon 1648, 1448 and 1436.

SF 1620 CAMP SIDE



SF 1620 SS



SF 1420 DLX SIDE (ALSO AVAILABLE IN TILLER)



SF 1420 FLSS / SF 1415 FLSS



SF 1420 FLB



SL 14



Not Shown: Utility 1620 Camp Tiller, SF 1415 FLB, SF 1420 FLB, SF 1420 SS, SF 1415 and SL 12.

>> 09PRO CAMP & ROGUE

SPECIFICATIONS

	Pro Camp 1620 SC	Pro Camp 1620 T	Rogue 1886	Rogue 1886
Max HP	40 / 29.8	40 / 29.8	65 / 48	65 / 48
Fuel Capacity (gallons)	Port. Tank	Port. Tank	18 / 68.1	18 / 68.1
Length	16' 4" / 5.0	16' 4" / 5.0	18' 0" / 5.5	16' 0" / 4.9
Beam	74" / 188	74" / 188	86" / 218	86" / 218
Weight (boat only)	570 / 258.6	520 / 235.9	725 / 328.9	670 / 303.9
Capacity (persons/lbs.)	(5) 700 / 317.5	(5) 700 / 317.5	(6) 800 / (6) 362.9	(6) 1350 / (6) 612.3
Capacity	1200 / 54.3	1200 / 54.3	1585 / 718.9	1585 / 718.9
Inside Depth	20" / 51	20" / 51	23" / 58.4	23" / 58.4
Transom Width	72" / 183	72" / 183	85" / 216	85" / 216
Chine Width (at transom)	62" / 158	62" / 158	60" / 152.4	60" / 152.4
Transom Height (for engine)	20" / 51	20" / 51	20" / 51	20" / 5
Aluminum Gauge	.080" / .203	.080" / .203	.100" / .254	.100" / .254
Boat Motor & Trailer Length	20' 8" / 6.3	20' 8" / 6.3	23' 10" / 7.3	22' 10" / 7.3
Towing Wt. W/90 Merc 4s	1355 / 614.6	1305 / 592	—	—
Draft - At Rest With Engine Down	16" / 41	19" / 48	20" / 51	20" / 51
With Engine Up	9" / 23	10" / 25	8" / 20	8" / 20
Deadrise (deg at transom)	15	15	4	4

>> 09JON BOATS

SPECIFICATIONS

	1648	1448	1436	1432	1232	1032
Max HP/kw	35 / 26.1	25 / 18.6	20 / 14.9	7 / 5.22	6 / 4	3 / 2
Length (ft./m)	16' / 4.88	14' / 4.27	14' / 4.27	14' / 4.27	16' / 4.88	10' / 3.05
Beam (in./cm)	63" / 160	72" / 183	63" / 160	57" / 145	51" / 130	51" / 130
Weight (boat only) (lbs./kgs.)	300 / 136	260 / 118	263 / 119	185 / 84	120 / 54	100 / 45
Capacity (persons/lbs./kgs.)	(4) 535 / 243	(4) 535 / 243	(3) 395 / 179	(3) 395 / 179	(2) 250 / 113.4	(2) 250 / 113.4
Capacity (lbs./kgs.)	900 / 408	900 / 408	800 / 363	650 / 295	390 / 177	290 / 132
Inside Depth (in./cm)	22" / 56	22" / 56	22" / 56	18" / 46	16" / 41	16" / 41
Bottom Width (in./cm)	48"	48" / 122	36"	32"	32" / 81	32" / 81
Transom Height (in./cm)	20" / 51	15" / 38	15" / 38	15" / 38	15" / 38	15" / 38
Hull Thickness (in./cm)	0.072" / .183	0.072" / .183	0.072" / .183	0.064" / .163	0.050" / .127	0.050" / .127
Number of Seats	3	3	3	3	3	3

For Canoe specifications, please visit www.starcraftmarine.com.

>> 09UTILITIES

SPECIFICATIONS

	SF 1620 Camp Side	SF 1620 Camp Tiller	SF 1620 SS	SF 1420 DLX Side	SF 1420 FLSS	SF 1420 FLB	SF 1415 FLSS	SF 1415 FLB	SF 1420 SS	SF 1415	SL 14	SL 12
Max HP/kw	40 / 29.8	40 / 29.8	40 / 29.8	25 / 18.6	25 / 18.6	25 / 18.6	25 / 18.6	25 / 18.6	25 / 18.6	25 / 18.6	15 / 11.2	10 / 7.5
Fuel Capacity (Gal./L)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Length (ft./m)	16' 4" / 5.0	16' 4" / 5.0	16' 2" / 4.9	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	13' 6" / 4.1	11' 7" / 3.53
Beam (in./cm)	74" / 188	74" / 188	67" / 170	67" / 170	67" / 170	67" / 170	67" / 170	67" / 170	67" / 170	67" / 170	59" / 150c	58" / 147
Weight (boat only) (lbs./kgs.)	570 / 258.6	520 / 235.9	290 / 131.5	430 / 195.1	400 / 181.4	400 / 181.4	400 / 181.4	400 / 181.4	225 / 102.1	225 / 102.1	142 / 64.4	124 / 56.3
Capacity (persons / lbs./kgs.)	5/700 / 5/317.5	5/700 / 5/317.5	6/800 / 6/362.9	5/630 / 5/285.8	5/630 / 5/285.8	5/630 / 5/285.8	3/425 / 3/192.8	3/425 / 3/192.8	5/655 / 5/297.1	4/555 / 4/251.8	4/495 / 4/224.5	3/398 / 3/180.5
Capacity (lbs./kgs.)	1200 / 544.3	1200 / 544.3	1220 / 553.4	995 / 451.3	995 / 451.3	995 / 451.3	895 / 451.3	895 / 451.3	1020 / 462.7	920 / 417.3	700 / 317.5	600 / 272.2
Inside Depth (in./cm)	20" / 51	20" / 51	29" / 74	20" / 51	20" / 51	20" / 51	20" / 51	20" / 51	29" / 74	29" / 74	21" / 53	21" / 53
Transom Width (in./cm)	72" / 183	72" / 183	66" / 168	66" / 168	66" / 168	66" / 168	66" / 168	66" / 168	66" / 168	66" / 168	55" / 140	55" / 140
Chine Width (at transom) (in./cm)	62" / 158	62" / 158	53" / 135	53" / 135	53" / 135	53" / 135	53" / 135	53" / 135	53" / 135	53" / 135	48" / 122	48" / 122
Transom Height (for engine) (in./cm)	20" / 51	20" / 51	*20" / 51	*20" / 51	*20" / 51	*20" / 51	*15" / 38	*15" / 38	*20" / 51	*15" / 38	15" / 38	15" / 38
Aluminum Gauge (in./cm)	0.080" / .203	0.080" / .203	0.100" / .254	0.100" / .254	0.100" / .254	0.100" / .254	0.100" / .254	0.100" / .254	0.065" / .165c	0.065" / .165c	0.051" / .130	0.051" / .130
Boat Motor & Trailer Length (ft./m)	20' 8" / 6.3	20' 8" / 6.3	N/A	19' 4" / 5.9	19' 4" / 5.	19' 4" / 5.	19' 4" / 5.9	19' 4" / 5.9	N/A	N/A	N/A	N/A
Towing Wt. W/90 Merc 4s (lbs./kgs.)	1355 / 614.6	1305 / 592.0	N/A	1120 / 508.0	1090 / 494.4	1090 / 494.4	1090 / 494.4	1090 / 494.4	N/A	N/A	N/A	N/A
Draft - At Rest With Engine Down (in./cm)	16" / 41	19" / 48	N/A	20" / 51	20" / 51	20" / 51	20" / 51	20" / 51	N/A	N/A	N/A	N/A
With Engine Up (in./cm)	9" / 23	10" / 25	N/A	9" / 23	9" / 23	9" / 23	9" / 23	9" / 23	N/A	N/A	N/A	N/A
Deadrise (deg at transom)	15	15	8	8	8	8	8	8	8	8	7	7

* HP with standard tiller steering ** HP with optional console

SF = SeaFarer SL = SeaLite
 1420 = 14' / 20" Transom L 1415 = 14' / 15" Transom S
 1620 = 16' / 20" Transom L F = Floor
 B = Bench L = Livewell
 SS = Split Seat

To see our entire lineup, visit us on the web.

LOG ON. LEARN MORE. >> WWW.STARCFRAME.COM

» 09 STANDARDS & OPTIONS *Since 1903*
 ISLANDER | SUPERFISHERMAN | FISHMASTER | STX



Driver's Console. Starcraft's fishing-inspired consoles feature fog-free, easy-to-read gauges. Select models offer space for electronic add-ons and a connection for an iPod/MP3 player.



Locking Rod Storage. Your rods stay safe and secure in roomy, well-designed, lockable storage, located both port and starboard on select models.



Livewell/Baitwell. Protect your catch with Starcraft's spacious livewells and the exclusive Flow Rite System. Drainage flows through the transom and makes cleanup easy. (STX features the Oxygenator™.)



In-Floor Lockable Rod Storage. Keep your rods safe in spacious, locking in-floor storage with tube holders for six rods.

Reverse Chine and Power Trac Hull®.

Our shock-absorbing Power-Trac Hull® provides incomparable strength, while the exclusive reverse chine design pushes water down and away. Combined, they give you the smoothest, driest ride on the water.



Stern Seating. Flip-up stern seats add comfortable seating for passengers without sacrificing casting space.

Wash Down Hose. Cleanups and wash-downs are a breeze with this convenient hose with spray nozzle.




Rod Track. Port and starboard rod tracks are standard on all side deck boats, making it easy to add downriggers and rod holders for extra versatility.



For more information about Bert's Custom Tackle and other accessories, visit www.teclausa.com/bert.

STANDARDS




Canvas. Fish comfortably in any weather with our optional coverings that are specially treated to resist water and mildew.

Trolling Motor. The optional fish package features a trolling motor with electronic steering on a quick-release mounting bracket.



Swim Platform. Convert easily from fishing to family fun with an optional swim platform with ladder.

Drop Curtain. The optional drop curtain provides protection against rain and has been treated to resist water and mildew.




Dual Throttle. Enjoy comfortable trolling with a convenient optional second throttle for a kicker motor.



Fish Locator. All Starcraft fishing boats offer a choice of optional fish finders that mount right on the console.

Ski Tow. Ramp up the fun — and versatility — with an optional ski tow.



ELECTRICAL

	Islander 221 I/O	Islander 221 OB	Fishmaster 2100	Fishmaster 196	Superfisherman 180	Superfisherman 170	Superfisherman 170 Sport	STX 2050
Non-Glare Removable Stern Navigation Light	•	•	S	S	S	S	S	S
Courtesy Light(s)	S	S	S	S	S	S	S	S
Power Point	S	S	S	S	S	S	S	S
Circuit Breakers	S	S	S	S	S	S	S	S
Bow Panel with 12/24 Volt Trolling Motor Plug, Vault Gauge, Bow Baitwell Pump Switch, Courtesy Light, Rod Locker Light Switch, Power Point	•	•	•	•	•	•	•	S
Bow Trolling Motor Plug	•	•	•	•	•	•	•	•
Trolling Motor	•	•	•	•	•	•	•	•
3 Bank Battery Charger	•	•	•	•	•	•	•	S

MECHANICAL

Tilt No Feedback Rack and Pinion Steering	•	•	•	S	•	•	•	S
Tilt No Feedback Steering	•	•	•	•	S	•	•	•
Rack and Pinion Steering	S	•	•	•	•	•	•	•
Hydraulic Tilt Steering	•	S	S	O	O	S	S	S

CANVAS

Top and Storage Boot	S	S	S	S	S	O	O	O
Mooring Cover	O	O	O	O	O	O	O	O
Bow Tonneau Cover	•	•	O	O	O	O	O	O
Side Curtain Set	O	O	O	O	O	O	O	O
Aft Curtain	O	O	O	O	O	O	O	O
Walk-Thru Curtain	•	•	O	O	O	O	O	O
Drop Curtain Set	O	O	O	O	•	•	•	•

TRAILERS — EZ LOADER

Painted or Galvanized Bunk	O	O	O	O	O	O	O	O
Painted or Galvanized Roller	O	O	O	O	O	O	O	O
Trailer with Swing-Away Tongue	S	S	S	S	S	S	S	S
Custom-Welded Trailer with Swing-Away Tongue and Deluxe Chrome Wheels	O	O	O	O	O	O	O	O
Deluxe Chrome Wheels	O	O	O	O	O	O	O	O
Outboard Motor Support	•	•	O	O	O	O	O	O

S | standard O | option • | not available on this model

99 SPECIFICATIONS

ISLANDER | SUPERFISHERMAN
FISHMASTER | STX

	Islander 221 I/O	Islander 221 OB	Fishmaster 2100	Fishmaster 196	Superfisherman 180	Superfisherman 170	Superfisherman 170 Sport	STX 2050
Max HP/kw	220/164	200/147	250/186	175/131	200/149	150/112	140/104	250/186
Fuel Capacity (gallons/liters)	52/196.8	52/196.8	52/196.9	52/196.8	32/121.1	32/121.1	32/121.1	52/196.8
Length (ft./m)	22' 6"/6.9	24' 6"/7.5	20' 10"/6.35	19' 9"/6	18' 7"/5.7	17' 8"/5.4	16' 10"/5.1	20' 2"/6.2
Beam (in./cm)	96"/244	96"/244	101"/257	100"/254	100"/254	100"/254	89"/226	100"/254
Weight (boat only) (lbs./kgs.)	1858/842.8	2023/917.6	1715/777.9	1498/679.5	1356/615.1	1273/577.4	1095/496.7	1734/786.5
Capacity (persons/lbs./kgs.)	(8) 1200/544.3	(8) 1200/544.3	(10) 1410/639.6	(9) 1250/567	(9) 1250/567	(8) 1075/487.6	(6) 825/374.2	(6) 900/408.2
Capacity (lbs./kgs.)	2000/907.2	2400/1088.6	2350/1066	2050/929.8	1985/900.4	1800/816.5	1555/705.4	2115/959.4
Inside Depth (in./cm)	30"/76	30"/76	31"/79	31"/79	29"/74	29"/74	23"/58	24"/61
Transom Width (in./cm)	90"/229	90"/229	99"/251	99"/251	99"/251	99"/251	89"/226	99"/251
Chine Width (at transom) (in./cm)	81"/206	81"/206	94"/239	84"/213	84"/213	84"/213	78"/198	84"/213
Transom / Bracket Height (for engine) (in./cm)	N/A	25"/64	25"/64	25"/64	25"/64	25"/64	20"/51	25"/64
Aluminum Gauge (in./cm)	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254
Boat Motor and Trailer Length (ft./m)	28'/8.5	30'/9.1	25' 7"/7.8	23' 5"/7.2	23'/7.0	23'/7.0	21' 3"/6.5	24' 6"/7.5
Towing Weight (w/standard power) (lbs./kgs.)	3983/1806.7	3777/1713.3	3795/1721.4	3394/1539.5	3195/1449.3	2976/1349.9	2635/1195.2	3715/1685.1
Draft with Drive Down	34"/86	26"/66	26"/66	29"/74	29"/74	29"/74	23"/58	29"/74
Draft with Drive Up	22"/56	13"/33	15"/38	17"/43	17"/43	17"/43	14"/36	17"/43
Deadrise (deg. at transom)	18	18	15	19	19	19	10	19

ELECTRICAL

	Starfire 1700 DC	Starfire 1700 SC	Starfire 1600 DC	Starfire 1600 SC	Starcaster 179 PRO V	Starcaster 1789 SC	Starcaster 1789 T	Starcaster 178 SC
Non-Glare Removable Stern Anchor Light	S	S	S	S	S	S	S	S
Courtesy Light(s)	•	•	•	•	•	•	•	•
Power Point	S	S	S	S	S	S	S	S
Circuit Breakers	S	S	S	S	S	S	S	S
Bow Panel with 12/24 Trolling Motor Plug and Main Motor Trim Switch	•	•	•	•	•	S	S	•
12 Volt Bow Trolling Motor Plug	S	S	S	S	•	S	S	○
Trolling Motor	○	○	○	○	S	S	S	○

CANVAS

Top and Storage Boot	○	○	○	○	•	•	•	•
Mooring Cover	○	○	○	○	○	○	○	○
Bow Tonneau Cover	○	•	○	•	•	•	•	•
Side Curtain Set	○	•	○	•	•	•	•	•
Aft Curtain	○	•	○	•	•	•	•	•
Walk-Thru Curtain	○	•	○	•	•	•	•	•
Drop Curtain Set	•	•	•	•	•	•	•	•

TRAILERS — EZ LOADER

Galvanized Bunk with Swing Tongue	○	○	○	○	○	○	○	○
Custom Welded Frame Trailer with Swing-Away Tongue	○	○	○	○	○	○	○	○
Deluxe Chrome Wheels	○	○	○	○	○	○	○	○
Outboard Motor Support	○	○	○	○	○	○	○	○

S | standard ○ | option • | not available on this model

SPECIFICATIONS

STARFIRE | STARCASTER
FREEDOM | ROGUE

	Starfire 1700 DC	Starfire 1700 SC	Starfire 1600 DC	Starfire 1600 SC	Starcaster 179 PRO V	Starcaster 1789 SC	Starcaster 1789 T	Starcaster 178 SC	Freedom 180SC	Freedom 180 T	Freedom 160 SC	Freedom 160 T	Rogue 1886	Rogue 1686
Max HP/kw	90/67	90/67	60/45	60/45	90/67	60/45	50/37	75/55	125/93	90/67	90/67	75/55	65/48	65/48
Fuel Capacity (gallons/liters)	23/87.1	23/87.1	13/49.2	13/49.2	21/79.5	N/A	N/A	21/79.5	23/87.1	23/87.1	23/87.1	23/87.1	18/68.1	18/68.1
Length (ft./m)	16' 11"/5.1	16' 11"/5.1	15' 11"/4.9	15' 11"/4.9	17' 6"/5.3	17' 6"/5.3	17' 6"/5.3	17' 6"/5.3	18' 11"/5.7	18' 11"/5.7	16' 11"/5.1	16' 11"/5.1	18/5.5	16'/4.9
Beam (in./cm)	85"/216	85"/216	85"/216	85"/216	85"/216	81"/206	81"/206	81"/206	89"/226	89"/226	89"/226	89"/226	86"/218	86"/218
Weight (boat only) (lbs./kgs.)	925/419.6	875/396.9	855/387.8	805/365.2	1075/487.6	745/338	745/338	965/437.7	875/396.9	875/396.9	875/396.9	875/396.9	725/328.9	670/303.9
Capacity (persons/lbs./kgs.)	(6) 900/408.2	(6) 900/408.2	(6) 825/374.2	(6) 825/374.2	(4) 525/238	(4) 525/238	(4) 525/238	(4) 525/238	(6) 900/408.2	(6) 900/408.2	(6) 900/408.2	(6) 900/408.2	(6) 800/362.9	(6) 1350/612.3
Capacity (lbs./kgs.)	1450/657.7	1450/657.7	1350/612.4	1350/612.4	1075/487.6	1025/464.9	1025/464.9	1075/487.6	1450/657.7	1450/657.7	1450/657.7	1450/657.7	1585/718.9	1585/718.9
Inside Depth (in./cm)	22"/56	22"/56	22"/56	22"/56	18"/48	17"/43	17"/43	17"/43	22"/56	22"/56	22"/56	22"/56	23"/58.4	23"/58.4
Transom Width (in./cm)	85"/216	85"/216	85"/216	85"/216	85"/216	81"/206	81"/206	81"/206	85"/216	85"/216	85"/216	85"/216	85"/216	85"/216
Chine Width (at transom) (in./cm)	71"/180	71"/180	71"/180	71"/180	54"/137	54"/137	54"/137	54"/137	71"/180	71"/180	71"/180	71"/180	60"/152.4	60"/152.4
Transom / Bracket Height (for engine) (in./cm)	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51
Aluminum Gauge (in./cm)	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.080"/.203	.080"/.203	.080"/.203	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254
Boat Motor and Trailer Length (ft./m)	22' 11"/7.0	22' 11"/7.0	20' 11"/6.4	20' 11"/6.4	22' 4"/6.8	22'/6.7	22'/6.7	22'/6.7	22' 11"/7.0	21' 11"/6.9	22' 11"/7.0	22' 11"/7.0	23' 10"/7.3	22' 10"/7.3
Towing Weight (w/standard power) (lbs./kgs.)	2063/935.8	2013/913.1	1783/808.8	1733/786.1	2415/1095.4	1750/793.8	1750/793.8	2025/918.5	2013/913.1	2013/913.1	2013/913.1	2013/913.1	—	—
Draft with Drive Down	21"/53	21"/53	21"/53	21"/53	20"/51	19"/48	19"/48	19"/48	21"/53	21"/53	21"/53	21"/53	20"/51	20"/51
Draft with Drive Up	12"/31	12"/31	12"/31	12"/31	8"/20	7"/18	7"/18	7"/18	12"/31	12"/31	12"/31	12"/31	8"/20	8"/20
Deadrise (deg. at transom)	10	10	10	10	10	10	10	10	10	10	10	10	4	4

>> 09 FISHING BOATS *Since 1903*



ISLANDER 221 I/O



SUPERFISHERMAN 170 Shown with optional Trolling Motor.



ISLANDER 221 OB



SUPERFISHERMAN 170 Sport Shown with optional Trolling Motor, Ski Tow and Swim Platform.



FISHMASTER 2100



STX 2050



FISHMASTER 196



STARFIRE 1700 DC



SUPERFISHERMAN 180



STARFIRE 1700 SC



STARFIRE 1600 DC Shown with optional Trolling Motor.



FREEDOM 180 T



STARFIRE 1600 SC Shown with optional Trolling Motor.



FREEDOM 160 SC



STARCASTER 179 PRO V



FREEDOM 160 T Shown with optional Trolling Motor.



STARCASTER 178 SC



PRO CAMP 1620 SC



FREEDOM 180 SC



PRO CAMP 1620 T

Starcaster 1789 SC, Starcaster 1789 T, Rogue 1886 and Rogue 1686 not shown.



STARCRAFT FISHING

09

» STARCRAFT CAN FILL ALL YOUR BOATING NEEDS.

TO ORDER YOUR FREE SAFETY COLORING BOOK AND TO JOIN
THE STARCRAFT KIDS CLUB, VISIT WWW.STARCRAFTMARINE.COM.
TO TALK TO THE DEALER NEAREST YOU, DIAL 1-866-772-4538.
Connects directly to dealer. Please call during business hours.

STARCRAFT PROUDLY OFFERS:

EVINRUDE
OUTBOARD



HONDA
MARINE

MERCURY
1 On The Water

SUZUKI
MARINE

YAMAHA

In the interest of continually developing the finest products possible, Starcraft reserves the right to change products and specifications without notice. All representations in this catalog are believed to be correct at the time of publication. Some optional equipment may be shown in some photographs. Some models may not be available outside the United States.

© 2008 Starcraft Marine Printed in U.S.A. 11/08 296-B-01

Starcraft Marine | P.O. Box 65 | 68143 Clunette Street | New Paris, IN 46553

» LOG ON. LEARN MORE. | WWW.STARCRAFTMARINE.COM