TWO THOUSAND TEN
STARCRAFT
STARCRAFT
MERCURY

» FAMILY FIRST. *Since 1903*

Today's Starcraft is a company run by the same family that started it all, back in 1903. Four generations of the Schrock family have dedicated themselves to leading the industry in quality and innovation with fun, versatile boats that are well within reach. There's a sense of pride at Starcraft that you won't find anywhere else. Pride in our boats and pride in backing them up. A commitment made from our family to yours.

» POWER OF CHOICE.

Only Starcraft allows you to combine the broadest model lineup with your choice of the world's top five engine manufacturers to create the very best boat for you.

Raised on the water; the fifth generation of the Starcraft family.



HERITAGE.

» HERITAGE. IN MOTION.

Where are you from? It's the question that defines us most. It connects us with the place that's at once our anchor and our compass. At Starcraft, we come from a place called fishing. For more than 100 years, our boats have dotted shores of all sizes — with names like Bull Shoals, Okeechobee, Put-in-Bay. Places that have welcomed generations of families who love this sport. Wherever you fish, as you throttle on plane at the crack of dawn, you join thousands of anglers who put our heritage in motion. And with every day on the water, we're proud to become part of your heritage, too.

CONTENTS:

BOATS

Construction 5
Islander 5
Fishmaster 7
SuperFisherman 9
STX Pro Series 11
Team Starcraft 13
Starfire 15
Starcaster 17
Freedom 19
Jons & Utilities 21
Standards & Options 23
Full Lineup 31

Visit our website for the latest information.

Since 1903

BUILT TO LAST.

How tough is a Starcraft aluminum fishing boat? Glad you asked. Each one is NMMA Certified and meets or exceeds all U.S. Coast Guard requirements. We use only 5052 H34 marine grade aluminum — the toughest we could find — to resist dents, dings and unwanted corrosion. We also finish our boats with a radiant heat-cured paint finish for good looks that will last, season after season.

CSI AWARD OF EXCELLENCE

Starcraft is honored to be a recipient of the 2009 NMMA CSI Award for Excellence in Customer Satisfaction for aluminum fishing boats. We dedicate the recognition to Starcraft owners across North America who inspire our ongoing commitments to quality and innovation.

STARCRAFT WARRANTY

Starcraft offers a variety of outstanding warranties on our boats. Our aluminum boats come with a limited lifetime warranty on riveted andwelded main hull seams. For complete warranty information on any particular aluminum boat, contact your Starcraft dealer.

THE STARCRAFT // Difference

2010CONSTRUCTION

1 **POWER-TRAC HULL®** combines machine-formed ribs with Torsion Beam Construction (TBC) for incomparable strength and better performance

2 **5052 H34 MARINE GRADE ALUMINUM** resists dents, dings and corrosion for years of reliability

3 **FOAM INJECTION** between the floor and hull eliminates air and water pockets for greater buoyancy and reduced noise

4 **FULL-LENGTH REVERSE CHINE** keeps the bow down during acceleration for faster hole shots and improved cornering, providing a drier ride than most competitive lines

5 **TBC STRINGER SYSTEM** offers greater strength and resilience, flexing with the waves for a smoother ride

6 **MACHINE-FORMED RIBS** combined with our one-piece hull bottom, without center seam, outperforms other aluminum brands that use two-ply aluminum with a center seam

7 **DOUBLE RIVETED SEAMS** provide a tighter seal for increased structural integrity

8 **7-PLY PRESSURE TREATED FLOOR/DECK** resists warping and other effects of dampness

9 **STAINLESS STEEL BOW RAILS** offer corrosion resistance and a cleaner look

10 **MARINE GRADE CARPET AND UPHOLSTERY** are designed for years of durability

11 **PREMIUM ELECTRONICS** include port for iPod/MP3 player

12 **FULL FACTORY INSTALLED INSTRUMENTATION** standard on select models

2010 ISLANDER

SPECIFICATIONS

	221 I/O	221 OB
Max HP	220	200
Fuel Capacity (gallons)	52	52
Length	22' 6"	24' 6"
Beam	96"	96"
Weight (boat only)	1858	2023
Capacity (persons/lbs.)	(8) 1200	(8) 1200
Capacity (lbs.)	2000	2400
Inside Depth	30"	30"
Transom Width	90"	90"
Chine Width (at Transom)	81"	81"
Transom / Bracket Height (for engine)	N/A	25"
Aluminum Gauge	.100"	.100"
Boat Motor and Trailer Length	28'	30'
Towing Weight	3983	3777
Draft with Drive Down	34"	26"
Draft with Drive Up	22"	13"
Deadrise (degree)	18	18
Fisherman's Top	—	—

» Driver's Console



» V-Berth

» Driver Side Storage

COLOR OPTIONS: Stone White with Black Stone White with Electric Blue

221 I/O

221 OB

ISLANDER

strength

Big water. Big fish. Big fun.

2010 FISHMASTER

SPECIFICATIONS

	2100	196
Max HP	250	175
Fuel Capacity (gallons)	52	52
Length	20' 10"	19' 9"
Beam	101"	100"
Weight (boat only)	1715	1498
Capacity (persons/lbs.)	(10) 1410	(9) 1250
Capacity	2350	2050
Inside Depth	31"	31"
Transom Width	99"	99"
Chine Width (at transom)	94"	84"
Transom / Bracket Height (for engine)	25"	25"
Aluminum Gauge	.100"	.100"
Boat Motor and Trailer Length	25' 7"	23' 5"
Towing Weight (w/standard power)	3795	3394
Draft with Drive Down	26"	29"
Draft with Drive Up	15"	17"
Deadrise (deg. at transom)	15	19
Fisherman's Top	—	—

COLOR OPTIONS: Stone White with Black Stone White with Electric Blue

FISHMASTER

expertise

It's time to get serious.
LOG ON. LEARN MORE. » WWW.STARCRAFTMARINE.COM

» 2010 SUPER FISHERMAN

SPECIFICATIONS

	180	170 Sport
Max HP	200	140
Fuel Capacity (gallons)	32	32
Length	18' 7"	16' 10"
Beam	100"	89"
Weight (boat only)	1356	1095
Capacity (persons/lbs.)	(9) 1250	(6) 825
Capacity	1985	1555
Inside Depth	29"	23"
Transom Width	99"	89"
Chine Width (at transom)	84"	78"
Transom / Bracket Height (for engine)	25"	20"
Aluminum Gauge	.100"	.100"
Boat Motor and Trailer Length	23'	21' 3"
Towing Weight (w/standard power)	3195	2635
Draft with Drive Down	29"	23"
Draft with Drive Up	17"	14"
Deadrise (deg. at transom)	19	10
Fisherman's Top	S	O
Bert's Rod Track	S	O

Shown with optional Graph.

COLOR OPTIONS: White with Black · White with Red · White with Electric Blue

Shown with optional Trolling Motor, Ski Tow and Swim Platform.

versatility

Shown with optional Trolling Motor, Graph, Ski Tow and Swim Platform.

The most versatile, family-friendly boat in its class.

LOG ON. LEARN MORE. » WWW.STARCRAFTMARINE.COM

» 2010 STX

SPECIFICATIONS

	2050
Max HP	250
Fuel Capacity (gallons)	52
Length	20' 2"
Beam	100"
Weight (boat only)	1734
Capacity (persons/lbs.)	(6) 900
Capacity	2115
Inside Depth	24"
Transom Width	99"
Chine Width (at transom)	84"
Transom / Bracket Height (for engine)	25"
Aluminum Gauge	.100"
Boat Motor and Trailer Length	24' 6"
Towing Weight (w/standard power)	3715
Draft with Drive Down	29"
Draft with Drive Up	17"
Deadrise (deg. at transom)	19
Fisherman's Top	S

» Driver's Console

» Livewell with Oxygenator

» Bow Controls

COLOR OPTIONS: White with Black · White with Red · White with Electric Blue

STX 2050

STX proudly features Bert's Custom Tackle and The Oxygenator™.

Standard Bimini Top not shown.

STX

pro fishing

The power to fish like the pros.

LOG ON. LEARN MORE. » WWW.STARCRAFTMARINE.COM

» 2010 TEAM STARCRAFT

Starcraft pro fishing boats are born of the experience and expertise of Team Starcraft. Our pros are out there week after week putting our boats to the test on a wide range of circuits including walleye, bass, crappie, muskie, salmon, striper and catfish. Their success is the ultimate testimonial for our advanced hull designs, spacious floorplans and outstanding features. We offer our thanks to each team member for the hard work and competitive spirit that resulted in top finishes in 2008. We're already looking forward to a great season in 2010.

IN A LEAGUE OF THEIR OWN.

We introduced our new Starcraft STX 2050 Tournament Boat and we ran boats to a select group of fishing professionals. Here were the results in some of the pro fishing circuits throughout North America.

1 - 2008 Cabelas MWC World Walleye Champions (Masters Walleye Circuit)
4 - MWC World Walleye Championship Qualifiers 2008 and 2009
9 - Top 10 Team of the Year Titles
1 - 9th place finish 2008 In-Fisherman PWT Championship shootout
6 - Tournament wins including one Championship victory
39 - Top Ten finishes
5 - Cabelas 2009 NTC Qualifiers

CIRCUITS TO LOOK FOR OUR TOURING PROFESSIONAL ANGLERS.

AIM Professional Walleye Circuit (Anglers Insight Marketing)
AIM Satellite Series
FLW Walleye Tour
FLW Walleye League
Cabelas MWC (Masters Walleye Circuit)
WSWC – Washington State Walleye Circuit
MWT – Michigan Walleye Tour
MTT – Minnesota Tournament Trail
MWS – Midwest Walleye Series
LEWT – Lake Erie Walleye Trail
Kansas Walleye Association
SBCC – Striped Bass Conservation Coalition
ABA – American Bass Angler
BWS – Bass Weekender Series

PROMOTIONAL PARTNERS:

TEAM STARCRAFT

» TEAM MEMBERS

We are so proud of our Team members. That is why we invite you to join us and take a ride in the best freshwater tournament boat on the market. And, become a member of the hottest fishing team in the world of fishing today.

Thank you to the following Team Starcraft Members:

+ Greg Yarbrough, Team Captain - Port Clinton, OH
+ Jeff Manz - Vanderbilt, MI
+ Matt Davis - Marion, OH
+ Dan Gies - Huron, OH
+ Gary Zart - Hinkley, OH
+ Nate Seiferlein - Chesterfield, MI
+ Shawn Bongers - Spokane, WA
+Jeff Seyka - Milford, MI
+ Mike McMaken - Cedarville, MI
+ Bill Murray - Brighton, MI
+ Larry Lovold - Lake Park, MN
+ Ben Schmoldt - Kewskum, WI
+ Jason Doyon - Sault Ste. Marie, Ontario, Canada
+ Joe Cartright - Appleton, WI
+ Tony Puccio - Verona, WI
+ Mark Broderick - Coon Rapids, MN
+ Ed Clements - Bay City, MI
+ Ryan Sagady - Bay City, MI
+ Brian Holmer - Thief River Falls, MN
+ Steve Lamb - Oxford, MI
+ Leon Dykas - Torrington, CT
+ Bob Angello - Nashville, TN
+ Trent Lee - Shelby Township, MI

heritage

09 STARFIRE

SPECIFICATIONS

	1700 DC	1700 SC	1600 DC	1600 SC
Max HP	90	90	60	60
Fuel Capacity (gallons)	23	23	13	13
Length	16' 11"	16' 11"	15' 11"	15' 11"
Beam	85"	85"	85"	85"
Weight (boat only)	925	875	855	805
Capacity (persons/lbs.)	(6) 900	(6) 900	(6) 825	(6) 825
Capacity	1450	1450	1350	1350
Inside Depth	22"	22"	22"	22"
Transom Width	85"	85"	85"	85"
Chine Width (at transom)	71"	71"	71"	71"
Transom / Bracket Height (for engine)	20"	20"	20"	20"
Aluminum Gauge	.100"	.100"	.100"	.100"
Boat Motor and Trailer Length	22' 11"	22' 11"	20' 11"	20' 11"
Towing Weight (w/standard power)	2063	2013	1783	1733
Draft with Drive Down	21"	21"	21"	21"
Draft with Drive Up	12"	12"	12"	12"
Deadrise (deg. at transom)	10	10	10	10
Fisherman's Top	O	O	O	O

» Driver's Console

» Lockable Rod Storage

» Livewell



Shown with optional Graph.

1600 DC and 1600 SC shown with optional Trolling Motor.

Shown with optional Trolling Motor.

Putting great fishing within reach for generations.

» 2010 STARCASTER
SPECIFICATIONS

	179 PRO V	178 SC
Max HP	90	75
Fuel Capacity (gallons)	21	21
Length	17' 6"	17' 6"
Beam	85"	81"
Weight (boat only)	1075	965
Capacity (persons/lbs.)	(4) 525	(4) 525
Capacity	1075	1075
Inside Depth	18"	17"
Transom Width	85"	81"
Chine Width (at transom)	54"	54"
Transom / Bracket Height (for engine)	20"	20"
Aluminum Gauge	.100"	.080"
Boat Motor and Trailer Length	22' 4"	22'
Towing Weight (w/standard power)	2415	2025
Draft with Drive Down	20"	19"
Draft with Drive Up	8"	7"
Deadrise (deg. at transom)	10	10

» Driver's Console

» Rod Storage

» 50" Divided Livewell with Bait Bucket

Shown with optional Graph.

COLOR: Red; 179 PRO V Black; 178 SC

179 PRO V

178 SC

Starcraft Starcaster is equipped with the 46 PD Motor Guide.

MotorGuide NEVER STOP.

STARCASTER

bass fishing

Fish the shallows like never before.

LOG ON. LEARN MORE. » WWW.STARCRAFTMARINE.COM

» 2010 FREEDOM

SPECIFICATIONS

	Freedom 180 SC	Freedom 180 T	Freedom 160 SC	Freedom 160 T
Max HP	125	90	90	75
Fuel Capacity (gallons)	23	23	23	23
Length	18' 11"	18' 11"	16' 11"	16' 11"
Beam	89"	89"	89"	89"
Weight (boat only)	875	875	875	875
Capacity (persons/lbs.)	(6) 900	(6) 900	(6) 900	(6) 900
Capacity	1450	1450	1450	1450
Inside Depth	22"	22"	22"	22"
Transom Width	85"	85"	85"	85"
Chine Width (at transom)	71"	71"	71"	71"
Transom Height (for engine)	20"	20"	20"	20"
Aluminum Gauge	.100"	.100"	.100"	.100"
Boat Motor & Trailer Length	22' 11"	22' 11"	21' 11"	21' 11"
Towing Wt. W/90 Merc 4s	2013	2013	2013	2013
Draft - At Rest With Engine Down	21"	21"	21"	21"
With Engine Up	12"	12"	12"	12"
Deadrise (deg at transom)	10	10	10	10

» Control Panel

» Rod Storage

» Livewell with Floating Bait Bucket

COLOR OPTIONS: Camel Light Gray with Red

Shown with optional Trolling Motor.

FREEDOM

reliability

Get back to the basics.



JONS & UTILITIES

2010 PRO CAMP

SPECIFICATIONS

	Pro Camp 1620 SC	Pro Camp 1620 T
Max HP	40 / 29.8	40 / 29.8
Fuel Capacity (gallons)	Port. Tank	Port. Tank
Length	16' 4" / 5.0	16' 4" / 5.0
Beam	74" / 188	74" / 188
Weight (boat only)	570 / 258.6	520 / 235.9
Capacity (persons/lbs.)	(5) 700 / 317.5	(5) 700 / 317.5
Capacity	1200 / 54.3	1200 / 54.3
Inside Depth	20" / 51	20" / 51
Transom Width	72" / 183	72" / 183
Chine Width (at transom)	62" / 158	62" / 158
Transom Height (for engine)	20" / 51	20" / 51
Aluminum Gauge	.080" / .203	.080" / .203
Boat Motor & Trailer Length	20' 8" / 6.3	20' 8" / 6.3
Towing Wt. W/90 Merc 4s	1355 / 614.6	1305 / 592
Draft - At Rest With Engine Down With Engine Up	16" / 41 9" / 23	19" / 48 10" / 25
Deadrise (deg at transom)	15	15

2010 JON BOATS & CANOES

SPECIFICATIONS

	1648	1448	1436	1432	1232	1032	17' Canoe	16' Canoe	15' Canoe
Max HP/kw	35 / 26.1	25 / 18.6	20 / 14.9	7 / 5.22	6 / 4	3 / 2	—	4	—
Length (ft./m)	16' / 4.88	14' / 4.27	14' / 4.27	14' / 4.27	16' / 4.88	10' / 3.05	17' / 5.18	15' 10" / 4	15" / 4.57
Beam (in./cm)	63" / 160	72" / 183	63" / 160	57" / 145	51" / 130	51" / 130	39" / 99	39" / 99	37" / 94
Weight (boat only) (lbs./kgs.)	300 / 136	260 / 118	263 / 119	185 / 84	120 / 54	100 /45	80 / 36	78 / 35	74 / 33
Capacity (persons/lbs./kgs.)	(4) 535 / 243	(4) 535 / 243	(3) 395 / 179	(3) 395 / 179	(2) 250 /113.4	(2) 250 /113.4	(4) 730 /331	(3) 715 /324	(3) 575 / 261
Capacity (lbs./kgs.)	900 / 408	900 / 408	800 / 363	650 / 295	390 / 177	290 / 132	730 / 331	715 / 324	575 / 261
Inside Depth (in./cm)	22" / 56	22" / 56	22" / 56	18" / 46	16" / 41	16" / 41	12.5" / 32	12.5" / 32	12.5" / 32
Bottom Width (in./cm)	48" / 122	48" / 122	36" / 91	32" / 81	32" / 81	32" / 81	—	—	—
Transom Height (in./cm)	20" / 51	15" / 38	15" / 38	15" / 38	15" / 38	15" / 38	—	—	—
Hull Thickness (in./cm)	0.072" / .183	0.072" / .183	0.072" / .183	0.064" / .163	0.050" / .127	0.050" / .127	0.050" / .127	0.050" / .127	0.050" / .127
Number of Seats	3	3	3	3	3	3	2	2	2

2010 UTILITIES

SPECIFICATIONS

	SF 1620 Camp Side	SF 1620 FLSS SF 1620 SS	SF 1620 Camp Tiller	SF 1420 Deluxe SC	SF 1420 FLSS Side SF 1420 FLSS SF 1420 FLB	SF 1420 B	SF 1420 SS	SF 1415 FLB SF 1415 FLSS SF 1415 SS	SF 1415 B	SL 14	SL 12
Max HP/kw	40 / 29.8	40 / 29.8	40 / 29.8	25 / 18.6	25 / 18.6	25 / 18.6	25 / 18.6	15 / 11.2	25 / 18.6	15 / 11.2	10 / 7.5
Fuel Capacity (Gal./L)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Length (ft./m)	16' 4" / 5.0	16' 2" / 4.9	16' 4" / 5.0	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	14' 3" / 4.3	13' 6" / 4.1	14' 3" / 4.3	13' 6" / 4.1	11' 7" / 3.53
Beam (in./cm)	74" / 188	67" / 170	74" / 188	67" / 170	67" / 170	67" / 170	67" / 170	59" / 150	67" / 170	59" / 150	58" / 147
Weight (boat only) (lbs./kgs.)	570 / 258.6	290 / 131.5	520 / 235.9	430 / 195.1	400 / 181.4	225 / 102.1	225 / 102.1	142 / 64.4	225 / 102.1	142 / 64.4	124 / 56.3
Capacity (persons / lbs./kgs.)	5(700) / 5(317.5)	6(800) / 6(362.9)	5(700) / 5(317.5)	5(630) / 5(285.8)	5(630) / 5(285.8)	4(555) / 4(251.8)	5(655) / 5(297.1)	4(495) / 4(224.5)	4(555) / 4(251.8)	4(495) / 4(224.5)	3(398) / 3(180.5)
Capacity (lbs./kgs.)	1200 / 544.3	1220 / 553.4	1200 / 544.3	995 / 451.3	995 / 451.3	920 / 417.3	1020 / 462.7	700 / 317.5	920 / 417.3	700 / 317.5	600 / 272.2
Inside Depth (in./cm)	20" / 51	29" / 74	20" / 51	20" / 51	20" / 51	29" / 74	29" / 74	21" / 53	29" / 74	21" / 53	21" / 53
Transom Width (in./cm)	72" / 183	66" / 168	72" / 183	66" / 168	66" / 168	66" / 168	66" / 168	55" / 140	66" / 168	55" / 140	55" / 140
Chine Width (at transom) (in./cm)	62" / 158	53" / 135	62" / 158	53" / 135	53" / 135	53" / 135	53" / 135	48" / 122	53" / 135	48" / 122	48" / 122
Transom Height (for engine) (in./cm)	20" / 51	20" / 51	20" / 51	20" / 51	20" / 51	20" / 51	20" / 51	15" / 38	15" / 38	15" / 38	15" / 38
Aluminum Gauge (in./cm)	0.080" / .203	0.100" / .254	0.080" / .203	0.100" / .254	0.100" / .254	0.065" / .165	0.065" / .165	0.051" / .130	0.065" / .165	0.051" / .130	0.051" / .130
Boat Motor & Trailer Length (ft./m)	20' 8" / 6.3	N/A	20' 8" / 6.3	19' 4" / 5.	19' 4" / 5.	N/A	N/A	N/A	N/A	N/A	N/A
Towing Wt. W/90 Merc 4s (lbs./kgs.)	1355 / 624.6	N/A	1305 / 592.0	1120 / 508.0	1090 / 494.4	N/A	N/A	N/A	N/A	N/A	N/A
Draft - At Rest With Engine Down (in./cm)	16" / 41	N/A	19" / 48	20" / 51	20" / 51	N/A	N/A	N/A	N/A	N/A	N/A
With Engine Up (in./cm)	9" / 23	N/A	10" / 25	9" / 23	9" / 23	N/A	N/A	N/A	N/A	N/A	N/A
Deadrise (deg at transom)	15	8	15	8	8	8	8	7	8	7	7

SF = SeaFarer
1420 = 14' / 20" Transom L
1620 = 16' / 20" Transom L
B = Bench
SS = Split Seat

SL = SeaLite
1415 = 14' / 15" Transom S
FL = Floor
L = Livewll

To see our entire lineup, visit us on the web.

Driver's Console. Starcraft's fishing-inspired consoles feature fog-free, easy-to-read gauges. Select models offer space for electronic add-ons and a connection for an iPod/MP3 player.

Livewell/Baitwell. Protect your catch with Starcraft's spacious livewells and the exclusive Flow Rite System. Drainage flows through the transom and makes cleanup easy. (STX features the Oxygenator™.)

Locking Rod Storage. Your rods stay safe and secure in roomy, well-designed, lockable storage, located both port and starboard on select models.

In-Floor Lockable Rod Storage. Keep your rods safe in spacious, locking in-floor storage with tube holders for six rods.

Reverse Chine and Power-Trac Hull®. Our shock-absorbing Power-Trac Hull® provides incomparable strength, while the exclusive reverse chine design pushes water down and away. Combined, they give you the smoothest, driest ride on the water.

Stern Seating. Flip-up stern seats add comfortable seating for passengers without sacrificing casting space.

Rod Track. Port and starboard rod tracks are standard on several models, making it easy to add downriggers and rod holders for extra versatility.

For more information about Bert's Custom Tackle and other accessories, visit www.teclausa.com/bert.

Wash-Down Hose. Cleanups and wash-downs are a breeze with this convenient hose with spray nozzle.

Canvas. Starcraft fishing boats offer a complete selection of optional coverings that are specially treated to resist water and mildew: 1) Bow Cover 2) Fisherman's Top 3) Aft Curtain 4) Side Curtain

Trolling Motor. The optional fish package features a trolling motor with electronic steering on a quick-release mounting bracket.

Swim Platform. Convert easily from fishing to family fun with an optional swim platform with ladder.

Drop Curtain. The optional drop curtain provides protection against rain and has been treated to resist water and mildew.

Fish Locator. All Starcraft fishing boats offer a choice of optional fish finders that mount right on the console.

Dual Throttle. Enjoy comfortable trolling with a convenient optional second throttle for a kicker motor.

Ski Tow. Ramp up the fun — and versatility — with an optional ski tow.

Starcraft Marine offers professional factory installation and rigging of most accessories. Contact your local dealer for details.

2010 STANDARDS & OPTIONS

ISLANDER | SUPERFISHERMAN | FISHMASTER | STX

Since 1903

	Islander 221 I/O	Islander 221 OB	Fishmaster 2100	Fishmaster 196	Super Fisherman 180	Super Fisherman 170 Sport	STX 2050
HULL CONSTRUCTION							
Limited Lifetime Deck Warranty	S	S	S	S	S	S	S
Lifetime Warranty on Double-Riveted Seams	S	S	S	S	S	S	S
Meets or Exceeds U.S. Coast Guard Requirements	S	S	S	S	S	S	
NMMA Certified	S	S	S	S	S	S	S
Power-Trac Hull®	•	•	S	S	S	S	S
Torsion Beam Construction	•	•	S	S	S	S	S
Double-Riveted Chine & Transom Seams	S	S	S	S	S	S	S
Built-In Fuel Tank (Gal.)	(52)	(52)	(52)	(52)	(32)	(52)	(52)
7-Ply Pressure Treated Floor/Deck	S	S	•	•	S	S	S
Stainless Steel Bow and Stern Eyes	S	S	S	S	S	S	S
Stepped Transom for Kicker Motor	•	•	S	S	S	S	S
Stainless Steel Bow Rails	S	S	•	•	•	•	•
Anchor Rope Storage in Bow	S	S	•	•	•	•	•
COCKPIT							
Deluxe Movable Pedestal Seats (Qty.)	•	•	(4)	(4)	(3)	(3)	(3)
Pedestal Seat Locations (Qty.)	•	•	(5)	(5)	(6)	(6)	(6)
Slider on Helm Seat	•	•	S	S	S	S	S
Bow/Stern Casting Platform	•	•	•	•	S	S	S
Bow Casting Platform	•	•	S	S	S	S	S
Stern Casting Platform	•	•	•	•	S	S	S
Stern Storage	S	S	S	S	S	S	S
Cockpit Toe Kicks	•	•	S	S	•	•	•
In-Floor Storage	•	S	S	S	S	S	S
Cup Holders (Qty.)	•	•	•	•	(4)	(2)	(2)
Cabin Windows with Privacy Curtains	S	S	•	•	•	•	•
Interior Cabin Lighting	S	S	•	•	•	•	•
Large Translucent Bow Hatch with Screen	S	S	•	•	•	•	•
Snap-In Carpet	•	•	O	O	O	O	O
Marine Grade Carpet	S	S	S	S	S	S	S
Marine Grade UV Stable Upholstery Vinyl	S	S	S	S	S	S	S
Swim Platform and Ladder	•	•	•	•	O	O	O
Power Pedestals	•	•	O	O	O	S	S
Side Deck Mounted Aluminum Tracks with Plastic Step Pad Inserts	S	S	S	S	S	S	S
DASH AND CONSOLE							
Fuel Gauge	S	S	S	S	S	S	S
Speedometer	S	S	S	S	S	S	S
Tachometer	S	S	S	S	S	S	S
Voltmeter	S	S	S	S	S	S	S
Temperature Gauge	S	S	•	•	•	•	•
Trim Gauges	S	S	•	•	•	•	•
Lanyard Safety Switch	S	S	S	S	S	S	S
Fish Locator	O	O	O	O	O	O	O
AM/FM Stereo with an Auxiliary Port for an MP3 Player	S	S	S	S	S	S	S
Marine Grade Speakers (Qty.)	(2)	(2)	(2)	(2)	(4)	(2)	(2)
Locking Glove Box	S	S	S	S	S	S	S
Starboard Windshield Wiper	S	S	•	•	•	•	•
Port Windshield Wiper	O	O	•	•	•	•	•
Custom Wheel	•	•	•	•	•	S	S
Horn	S	S	S	S	S	S	S
PLUMBING							
Threaded Sure Lock Livewell Standpipe	S	S	S	S	S	S	•
Aerated Bow Livewell (Gal.)	•	•	(41)	(41)	(18)	•	•
Aerated Stern Livewell (Gal.)	•	•	•	•	(28)	(36)	(36)
Aerated Port Livewell (Gal.)	(48)	(48)	•	•	•	•	•
Aerated Bow Baitwell	•	•	•	•	•	•	•
Head with Pump Out	O	O	•	•	•	•	•
Removable Porta Potti	O	O	•	•	•	•	•
ELECTRICAL							
Removable Bow Navigation Light	•	•	S	S	S	S	S
Navigation Lights	S	S	S	S	S	S	S

	Islander 221 I/O	Islander 221 OB	Fishmaster 2100	Fishmaster 196	Super Fisherman 180	Super Fisherman 170 Sport	STX 2050
ELECTRICAL							
Non-Glare Removable Stern Navigation Light	•	•	S	S	S	S	S
Courtesy Light(s)	S	S	S	S	S	S	S
Power Point	S	S	S	S	S	S	S
Circuit Breakers	S	S	S	S	S	S	S
Bow Panel with 12/24 Volt Trolling Motor Plug, Vault Gauge, Bow Baitwell Pump Switch, Courtesy Light, Rod Locker Light Switch, Power Point	•	•	•	•	•	•	S
Bow Trolling Motor Plug	•	•	•	•	•	O	•
Trolling Motor	•	•	•	•	•	O	O
3 Bank Battery Charger	•	•	•	•	•	•	S
MECHANICAL							
Tilt No Feedback Rack and Pinion Steering	•	•	•	S	•	•	S
Tilt No Feedback Steering	•	•	•	•	S	•	•
Rack and Pinion Steering	S	•	•	•	•	•	O
Hydraulic Tilt Steering	•	S	S	O	O	S	S
CANVAS							
Top and Storage Boot	S	S	S	S	S	O	O
Mooring Cover	O	O	O	O	O	O	O
Bow Tonneau Cover	•	•	O	O	O	O	O
Side Curtain Set	O	O	O	O	O	O	O
Aft Curtain	O	O	O	O	O	O	O
Walk-Thru Curtain	•	•	O	O	O	O	O
Drop Curtain Set	O	O	O	O	•	•	•
TRAILERS — EZ LOADER							
Painted or Galvanized Bunk	O	O	O	O	O	O	O
Painted or Galvanized Roller	O	O	O	O	O	O	O
Trailer with Swing-Away Tongue	S	S	S	S	S	S	S
Custom-Welded Trailer with Swing-Away Tongue and Deluxe Chrome Wheels	O	O	O	O	O	O	O
Deluxe Chrome Wheels	O	O	O	O	O	O	O
Outboard Motor Support	•	•	O	O	O	O	O

S | standard O | option • | not available on this model

2010 SPECIFICATIONS

ISLANDER | SUPERFISHERMAN
FISHMASTER | STX

	Islander 221 I/O	Islander 221 OB	Fishmaster 2100	Fishmaster 196	Super Fisherman 180	Super Fisherman 170 Sport	STX 2050
Max HP/kw	220/164	200/147	250/186	175/131	200/149	140/104	250/186
Fuel Capacity (gallons/liters)	52/196.8	52/196.8	52/196.9	52/196.8	32/121.1	32/121.1	52/196.8
Length (ft./m)	22' 6"/6.9	24' 6"/7.5	20' 10"/6.35	19' 9"/6	18' 7"/5.7	16' 10"/5.1	20' 2"/6.2
Beam (in./cm)	96"/244	96"/244	101"/257	100"/254	100"/254	89"/226	100"/254
Weight (boat only) (lbs./kgs.)	1858/842.8	2023/917.6	1715/777.9	1498/679.5	1356/615.1	1095/496.7	1734/786.5
Capacity (persons/lbs./kgs.)	(8) 1200/544.3	(8) 1200/544.3	(10) 1410/639.6	(9) 1250/567	(9) 1250/567	(6) 825/374.2	(6) 900/408.2
Capacity (lbs./kgs.)	2000/907.2	2400/1088.6	2350/1066	2050/929.8	1985/900.4	1555/705.4	2115/959.4
Inside Depth (in./cm)	30"/76	30"/76	31"/79	31"/79	29"/74	23"/58	24"/61
Transom Width (in./cm)	90"/229	90"/229	99"/251	99"/251	99"/251	89"/226	99"/251
Chine Width (at transom) (in./cm)	81"/206	81"/206	94"/239	84"/213	84"/213	78"/198	84"/213
Transom / Bracket Height (for engine) (in./cm)	N/A	25"/64	25"/64	25"/64	25"/64	20"/51	25"/64
Aluminum Gauge (in./cm)	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254
Boat Motor and Trailer Length (ft./m)	28'/8.5	30'/9.1	25' 7"/7.8	23' 5"/7.2	23'/7.0	21' 3"/6.5	24' 6"/7.5
Towing Weight (w/standard power) (lbs./kgs.)	3983/1806.7	3777/1713.3	3795/1721.4	3394/1539.5	3195/1449.3	2635/1195.2	3715/1685.1
Draft with Drive Down	34"/86	26"/66	26"/66	29"/74	29"/74	23"/58	29"/74
Draft with Drive Up	22"/56	13"/33	15"/38	17"/43	17"/43	14"/36	17"/43
Deadrise (deg. at transom)	18	18	15	19	19	10	19

2010 STANDARDS & OPTIONS

STARFIRE | STARCASTER

Since 1903

	Starfire 1700 DC	Starfire 1700 SC	Starfire 1600 DC	Starfire 1600 SC	Starcaster 179 PRO V	Starcaster 178 SC
HULL CONSTRUCTION						
Limited Lifetime Deck Warranty	S	S	S	S	S	S
Lifetime Warranty on Double-Riveted Seams	S	S	S	S	•	•
Meets or Exceeds U.S. Coast Guard Requirements	S	S	S	S	S	S
NMMA Certified	S	S	S	S	S	S
Power-Trac Hull	S	S	S	S	•	•
Torsion Beam Construction	S	S	S	S	S	S
Double-Riveted Chine & Transom Seams	S	S	S	S	•	•
Built-In Fuel Tank (Gal.)	(23)	(23)	(13)	(13)	(21)	(21)
7-Ply Pressure Treated Floor/Deck	S	S	S	S	S	S
Stainless Steel Bow and Stern Eyes	S	S	S	S	S	S
Stepped Transom for Kicker Motor	•	•	•	•	•	•
All Welded	•	•	•	•	S	S
COCKPIT						
Deluxe Movable Pedestal Seats (Qty.)	(3)	(3)	(2)	(2)	(2)	(2)
Pedestal Seat Locations (Qty.)	(6)	(6)	(6)	(6)	(2)	(2)
Slider on Helm Seat	S	S	S	S	•	•
Bow/Stern Casting Platform	S	S	S	S	S	S
Bow Casting Platform	S	S	S	S	S	S
Stern Casting Platform	S	S	S	S	S	S
Stern Storage	S	S	S	S	S	S
In-Floor Storage	S	S	•	•	•	•
Cup Holders (Qty.)	(3)	(3)	(3)	(3)	(1)	(1)
Snap-In Carpet	•	•	•	•	•	•
Marine Grade Carpet	S	S	S	S	S	S
Marine Grade UV Stable Upholstery Vinyl	S	S	S	S	S	S
Swim Platform and Ladder	O	O	O	O	•	•
Power Pedestals	O	O	O	O	•	•
DASH AND CONSOLE						
Fuel Gauge	S	S	S	S	S	S
Speedometer	S	S	S	S	S	S
Tachometer	S	S	S	S	S	S
Voltmeter	S	S	S	S	S	S
Lanyard Safety Switch	S	S	S	S	S	S
Fish Locator	O	O	O	O	S	S
AM/FM Stereo with an Auxiliary Port for an MP3 Player	•	•	•	•	•	•
Marine Grade Speakers (Qty.)	•	•	•	•	•	•
Locking Glove Box	S	•	S	•	•	•
Horn	•	•	•	•	•	•
PLUMBING						
Threaded Sure Lock Livewell Standpipe	S	S	S	S	•	•
Aerated Bow Livewell (Gal.)	(27)	(27)	(27)	(27)	•	•
Aerated Stern Livewell (Gal.)	•	•	•	•	(26)	(26)
Aerated Midship Livewell (Gal.)	•	•	•	•	•	•
ELECTRICAL						
Removable Bow Navigation Light	S	S	S	S	S	S
Navigation Lights	S	S	S	S	S	S

	Starfire 1700 DC	Starfire 1700 SC	Starfire 1600 DC	Starfire 1600 SC	Starcaster 179 PRO V	Starcaster 178 SC
ELECTRICAL						
Non-Glare Removable Stern Anchor Light	S	S	S	S	S	S
Courtesy Light(s)	•	•	•	•	•	•
Power Point	S	S	S	S	S	S
Circuit Breakers	S	S	S	S	S	S
Bow Panel with 12/24 Trolling Motor Plug and Main Motor Trim Switch	•	•	•	•	•	•
12 Volt Bow Trolling Motor Plug	S	S	S	S	•	O
Trolling Motor	O	O	O	O	S	O
CANVAS						
Top and Storage Boot	O	O	O	O	•	•
Mooring Cover	O	O	O	O	O	O
Bow Tonneau Cover	O	•	O	•	•	•
Side Curtain Set	O	•	O	•	•	•
Aft Curtain	O	•	O	•	•	
Walk-Thru Curtain	O	•	O	•	•	•
Drop Curtain Set	•	•	•	•	•	•
TRAILERS — EZ LOADER						
Galvanized Bunk with Swing Tongue	O	O	O	O	O	O
Custom Welded Frame Trailer with Swing-Away Tongue	O	O	O	O	O	O
Deluxe Chrome Wheels	O	O	O	O	O	O
Outboard Motor Support	O	O	O	O	O	O

S | standard O | option • | not available on this model

2010 SPECIFICATIONS

STARFIRE | STARCASTER
FREEDOM | ROGUE

	Starfire 1700 DC	Starfire 1700 SC	Starfire 1600 DC	Starfire 1600 SC	Starcaster 179 PRO V	Starcaster 178 SC	Freedom 180SC	Freedom 180 T	Freedom 160 SC	Freedom 160 T
Max HP/kw	90/67	90/67	60/45	60/45	90/67	75/55	125/93	90/67	90/67	75/55
Fuel Capacity (gallons/liters)	23/87.1	23/87.1	13/49.2	13/49.2	21/79.5	21/79.5	23/87.1	23/87.1	23/87.1	23/87.1
Length (ft./m)	16' 11"/5.1	16' 11"/5.1	15' 11"/4.9	15' 11"/4.9	17' 6"/5.3	17' 6"/5.3	18' 11"/5.7	18' 11"/5.7	16' 11"/5.1	16' 11"/5.1
Beam (in./cm)	85"/216	85"/216	85"/216	85"/216	85"/216	81"/206	89"/226	89"/226	89"/226	89"/226
Weight (boat only) (lbs./kgs.)	925/419.6	875/396.9	855/387.8	805/365.2	1075/487.	965/437.7	875/396.9	875/396.9	875/396.9	875/396.9
Capacity (persons/lbs./kgs.)	(6) 900/408.2	(6) 900/408.2	(6) 825/374.2	(6) 825/374.2	(4) 525/238	(4) 525/238	(6) 900/408.2	(6) 900/408.2	(6) 900/408.2	(6) 900/408.2
Capacity (lbs./kgs.)	1450/657.7	1450/657.7	1350/612.4	1350/612.4	1075/487.6	1075/487.6	1450/657.7	1450/657.7	1450/657.7	1450/657.7
Inside Depth (in./cm)	22"/56	22"/56	22"/56	22"/56	18"/48	17"/43	22"/56	22"/56	22"/56	22"/56
Transom Width (in./cm)	85"/216	85"/216	85"/216	85"/216	85"/216	81"/206	85"/216	85"/216	85"/216	85"/216
Chine Width (at transom) (in./cm)	71"/180	71"/180	71"/180	71"/180	54"/137	54"/137	71"/180	71"/180	71"/180	71"/180
Transom / Bracket Height (for engine) (in./cm)	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51	20"/51
Aluminum Gauge (in./cm)	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.100"/.254	.080"/.203	.100"/.254	.100"/.254	.100"/.254	.100"/.254
Boat Motor and Trailer Length (ft./m)	22' 11"/7.0	22' 11"/7.0	20' 11"/6.4	20' 11"/6.4	22' 4"/6.8	22'/6.7	22' 11"/7.0	22' 11"/7.0	22' 11"/7.0	22' 11"/7.0
Towing Weight (w/standard power) (lbs./kgs.)	2063/935.8	2013/913.1	1783/808.8	1733/786.1	2415/1095.	2025/918.5	2013/913.1	2013/913.1	2013/913.1	2013/913.1
Draft with Drive Down	21"/53	21"/53	21"/53	21"/53	20"/51	19"/48	21"/53	21"/53	21"/53	21"/53
Draft with Drive Up	12"/31	12"/31	12"/31	12"/31	8"/20	7"/18	12"/31	12"/31	12"/31	12"/31
Deadrise (deg. at transom)	10	10	10	10	10	10	10	10	10	10

2010 FISHING BOATS *Since 1903*

ISLANDER 221 I/O

ISLANDER 221 OB

FISHMASTER 2100

FISHMASTER 196

SUPER FISHERMAN 180

SUPER FISHERMAN 170 Sport Shown with optional Trolling Motor, Ski Tow and Swim Platform.

STX 2050

STARFIRE 1700 DC

STARFIRE 1700 SC

STARFIRE 1600 DC Shown with optional Trolling Motor.

STARFIRE 1600 SC Shown with optional Trolling Motor.

STARCASTER 179 PRO V

STARCASTER 178 SC

FREEDOM 180 SC

FREEDOM 180 T

FREEDOM 160 SC

FREEDOM 160 T Shown with optional Trolling Motor.

PRO CAMP 1620 SC

PRO CAMP 1620 T

STARCRAFT PROUDLY OFFERS:

EVINRUDE E-TEC | BRP | HONDA MARINE | MERCURY "1 On The Water" | SUZUKI MARINE | YAMAHA

In the interest of continually developing the finest products possible, Starcraft reserves the right to change products and specifications without notice. All representations in this catalog are believed to be correct at the time of publication. Some optional equipment may be shown in some photographs. Some models may not be available outside the United States.

© 2009 Starcraft Marine Printed in U.S.A. 08/09 09-440-013

Starcraft Marine I P.O. Box 65 I 68143 Clunette Street I New Paris, IN 46553